BID DOCUMENT FOR TENDERING

Bidder should read the tender document carefully. Submission of tender shall mean that the Bidder has read and understood all the terms and condition of the tender (including corrigendum issued if any, at later stage of publication of Tender) and agrees and binds himself/themselves to the same.

Bidder must be submit 'TENDER ACCEPTANCE LETTER' with their signature and official seal

TENDER REF. NO. (VS/2021-22/SFURTI-2102) (In communication, Please quote this number & date) Dated: 09/10/2021

Tendering document of Machinery Supply, Installation and Commissioning of Wooden Craft and Decorative Goods Cluster (Ministry of MSME Govt. of India) at Raibareli Uttar Pradesh



Vishwas Sansthan Bhagwant Kaur Colony, Canal Road, Raebareli, 229001 (U.P.)

Section I Vishwas Sansthan, Raebareli U.P., Email: vishwasngo@gmail.com, sfurti@vishwasngo.org

TENDER REF.NO: (VS/2021-22/SFURTI-2102)

Dated: 09/10/2021

(In communication, Please quote this number & date)

NOTICE INVITING TENDER						
Bid Particulars	Details					
Tender Reference no	(VS/2021-22/SFURTI-2102)					
Tender Details.	Machinery With Specifications					
	(As Per Technical Specifications attached in					
	Annexure – I)					
Last date and Time of receipt of Bid	30/10/2021 By 05:00 PM					
Date and Time for Opening of Technical Bid	01/11/2021 By 03:00 PM					
Place of Tender submission	Chief Functionary					
	Bhagwant Kour Colony, Canal Road					
	Raibareli - Uttar Pradesh, Pin Code- 229001					
EMD	Rs. 15,000/-					
Financial Bid opening	After finalization of first stage					

NOTICE INVITING TENDER

Sealed Tender under Two cover System (Technical & Commercial) are invited on behalf of Wooden Craft and Decorative Goods Cluster Raebareli U.P, by Chief Functionary (here in after called, the Implementing Agency and / or the Purchaser") through of Wooden Craft and Decorative Goods Cluster Raebareli U.P, (Implementing Agency) for Items mentioned below as per Technical specifications given in the enclosed schedule Section II Annexure -I. These Items delivered / Installation and commissioning to be done at destination mentioned in this document.

Chief Functionary Vishwas Sansthan, Raebareli

For Wooden Craft and Decorative Goods Cluster Raebareli U.P.,

SECTION II INSTRUCTIONS TO BIDDERS

A. INTRODUCTION

1. DEFINITIONS:

a) "The Purchaser" means the **Vishwas Sansthan Raebareli, U.P**, The Bidder" means the individual or firms who participates in this tender and submits its bid.

b) "The Suppliers" means the individual or firms or Consortium Partners supplying the goods under the contract.

c) "The Goods" means all the equipment, machinery or other materials, which the Supplier is required to supply to the Purchaser under the contract.

d) "The Advance Purchase Order" means the intention of Purchaser to place the Purchase Order on the bidder.

e) "The Purchase Order" means the order placed by the Purchaser on the Supplier signed by the Purchaser including all attachments and appendices thereto and all documents incorporated by reference therein. The purchase order shall be deemed as "Contract" appearing in the document.

f) "The Contract Price" means the price payable to the Supplier under the purchase order for the full and proper performance of its contractual obligations.

g) "Validation" is a process through which the equipment / System is tested to ascertain its performance against set technical standards as per the requirements of the Cluster Outcomes.

2. SCOPE OF WORK

a) The successful tender should undertake supply, erection and commissioning of the said machinery. The detailed specifications are given in Annexure-1.

b) The successful tender should complete supply, erection, commissioning within 60 days from the date of receipt of Purchase Order.

3. MINIMUM ELIGIBILITY CRITERIA:

3.1. Pre-qualification criteria for intending bidders:

The tender shall be required to submit the Earnest Money Deposit (EMD). which is refundable. The Demand Draft shall be drawn in favor of **"Vishwas Sansthan, Raebareli,** for Wooden Craft and Decorative Goods Cluster Raebareli U.P, The demand drafts/ Banker crossed cheque for Earnest Money Deposit (EMD) enclosed in the envelope containing the technical bid.

4. INVITATION FOR TENDER OFFERS:

Tenders are requested to submit Part-I and Part-II in a separate sealed cover. Part-I cover to be superscripted as "Part I – Technical Bid" and Part II cover to be superscripted as "Part II – Price Bid" respectively.

The BIDDERs are requested to give detailed tender in two Bids i.e.

a. Part - I: Technical Bid.

b. Part - II: Commercial Bid.

Technical Bid:

4.1 The envelope clearly marked as "Technical Bid-Envelope No.1" shall contain the all **Copies of originals documents:**

Envelope – 1 (Following documents to be provided)				
S. No.	Documents	Content		
1.	Technical Bid	Technical Compliance Sheet as per Annexure – I		
2.		Manufacturer's / Consortium Partner Authorization Letter as per,		
		Annexure-II		
3.		Declaration Sheet as per Annexure – III		
4.		Reference Purchase Order copy. List of Organization/ Dept. as per		
		Annexure-IV		
5.		Certificate of Guarantee/Warranty (on letter head) – Annexure V		
6.		Mandate Form for Electronic Fund Transfer / RTGS Transfer as per		
		Annexure-VI		
7.		Scanned copy of EMD and it is required to submit the same in		
		original in a sealed envelope at the following address on or before		
		closing date:		
8.		The tender shall submit the copy of the tender document and		
		addendum thereto, if any, with each page should be signed and		
		stamped to confirm the acceptance of the entire term & conditions		
		of the tender		
9.		Financial statements with net profit duly audited / certified by		
		Chartered Accountant (CA) of the last three financial years.		
10.		The tender viz. the Indian Agents and / or the foreign firms should		
		furnish a certificate that the rates quoted by the tender are not more		
		than those quoted to any other Institution in India or aboard during		
		the last one year, with supporting documents.		
		Envelope – 2		
S. No.	Documents	Content		
1.	Financial Bid	Price bid should be submitted as per - Annexure VII		

Bid documents should be submitted as per the above sequence with Index page and page numbers (including technical literature). Each page of the bid should be signed & stamped in original. Unsigned bids will not be considered for evaluation. Each point of Envelope–I must be enclosed with the technical bid.

4.2 Earnest Money Deposit Details

- I. EMD of Rs. 15,000/-(Rs Fifteen thousand only) in the form of Demand Draft of a scheduled bank in the name of Vishwas Sansthan, Raebareli, U.P., valid for 60 days from the date of opening of the tender. The firm registered with MSME. Intended parties will have to give proof of registration along with their quotation. EMD of the unsuccessful bidders shall be refunded without any interest at the earliest after finalization of the purchase of concerned item.
- a) The EMD will be returned to the BIDDERs(s) whose offer is not accepted by Wooden Craft and Decorative Goods Cluster Raebareli U.P, ,within one month from the date of the placing of the final order(s) on the selected BIDDER(s). In case of the BIDDER(s) whose offer is accepted the EMD will be returned on Machinery Installation. However, if the return of EMD is delayed for any reason, no interest / penalty shall be payable to the BIDDERs.

- b) The successful BIDDER, on award of contract / order, must send the contract / order acceptance in writing, within 15 days of award of contract / order failing which the EMD will be for feinted.
- **II.** The firm(s) who are registered under Micro and Small Enterprises (MSEs) as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium Enterprises (MSME) or are registered with the Central Purchase Organization or the concerned Ministry or Department. EMD will be liable to be forfeited if bidder withdraws or amends impairs or derogates from the tender in any respect within the validity periods of his tender. Self-attested scan copy of the valid registration certificate must be uploaded with the technical bid.
- III. The rate quoted in the Tender should be valid for the acceptance by the Tender Committee, for a minimum period of 90 days from the date of opening of the Tender. The accepted rate is valid till the entire contract is completed. Escalation in the rate will not be entertained under any circumstances.

IV. The successful BIDDER, on award of contract / order, must send the contract / order acceptance in writing.

V. The rate quoted in the Tender should be valid for the acceptance by the Tender Committee, for a minimum period of 90 days from the date of opening of the Tender. The accepted rate is valid till the entire contract is completed. Escalation in the rate will not be entertained under any circumstances.

4.3 The technical offer should not contain any price information.

5. SPECIFICATIONS:

Specifications are basic essence of the product. It must be ensured that the offers must be strictly as per our specifications. The Bid, which is not as per our tender enquiry, will be treated as nonqualified. Institute has the sole discretion to accept or reject tenders based on technical specifications.

6. Envelope 2:

"Commercial Bid" shall contain:

i. Cost of all the items should be mentioned clearly and individually in the Commercial Offer (Part-II) only.

ii. The prices should be shown against each item for the purpose of Insurance claims / replacements if any.

iii. List of deliverables / Bill of materials and services.

Note:

(i)No request for extension of due date will be considered under any circumstances.

(ii) No sub-contracting is allowed with regard to installation, commissioning, warranty maintenance and after sales service. This is the sole responsibility of the Principals'/their authorized agents.

(iii) Please do not insert 'Commercial Bid'' (prices quoted) in the technical bid envelope. If the price quoted is submitted with technical bid the tender will be rejected.

7. TERMS OF THE TECHNICAL COMMITTEE

On the due date the Technical bids will be opened and referred to the Technical Committee

which is duly constituted by the Secretary of Vishwas Sansthan, Raebareli, U.P, The committee will go through the technical aspects of the tender and recommend short listed firms. The recommendation of the technical committee is the final and binding on all the parties.

The technical evaluation will be an assessment of the Technical Bid.

The technical committee may formulate evaluation criteria in addition to the specifications and requirements indicated in the tender, in the interest of Wooden Craft and Decorative Goods Cluster Raebareli U.P., and this criteria/recommendation will also form as a part of short-listing of the firms.

The information received and the bids already submitted together will be examined with reference to the tendered specifications and evaluation is made by the Technical Committee.

8. OPENING AND EVALUATION OF THETENDER

- (i) The tenders received from 10-10-2021 to 30-10-2021 by 05:00 PM will be taken up for opening. Tenders received after specified date and time will not be accepted. The Tender will be opened through video conferencing (for which link will be shared with tender) by the Tender committee on 01/11/2021 in the presence of the available Tender /representatives of the Tender who choose to be present. The Tenders or their authorized agents are allowed to be present online at the time of opening of the tenders.
- (ii) Tender committee will inform the attested and unattested corrections, before the Tenders and sign all such corrections in the online presence of the Tenders. If any of the Tender or agents is not present then, in such cases the Committee will open the tender of the absentee Tenders and take out the unattested corrections and communicate it to them. The absentee Tender should accept the corrections without any question whatsoever.
- (iii) The Technical bid will be evaluated by Tender Committee in terms of the qualification Criteria. Tender Committee reserves the right to disqualify any of the tender if is not satisfied with the documents furnished.
- (iv) The Tender declared as qualified will be informed on the date of opening of Part-II (Price Bid).

9. PRICE OFFCER

9.1 The Price Bid should be kept only in the Part-II cover

9.2 The Price Bid should be prepared as per Annexure – II

9.3 The Price Bid should be neatly and legibly written both in figures and words

9.4 In case of discrepancy between the prices quoted in words and figures lower of the two shall be considered.

9.5 Part-II bid should not contain any commercial conditions. Variation in the commercial terms and conditions of the tender will not be accepted.

10. EVALUATION OF THE PRICE

10.1 The Tender committee will examine for complete, properly signed and error- free nature of the Price Bid (Part-II).

10.2 The comparison of the rates offered shall be on the basis of the total rates offered inclusive of all taxes, transportation, performance guarantee etc.,

11. AWARD OF CONTRACT

The Tender who has quoted lowest price (L1) will be invited for negotiations. After finalizing the negotiated rate, Letter of Acceptance will be issued.

12. AGREEMENT

The successful tender should execute an agreement as may be drawn up to suit the conditions on a non-judicial stamp paper of value, as prescribed in law on the date of remittance of Security Deposit and shall pay for all stamps and legal expenses incidental thereto. In the event of failure to execute the agreement, within the time prescribed, the amount remitted by the tender will be forfeited besides cancelling the Tender.

13. ISSUE OF PURCHASE ORDER

After successful execution of the agreement, Purchase Order will be release to the tendered items within 10 days by the Implementing Agency (IA). The successful tender should complete supply, erection and commissioning of the machineries as stipulated in the Schedule of Supply Chapter of this tender document.

14. DELIVERY

The delivery of the **Wooden Craft and Decorative Goods Cluster Raebareli U.P**, SFURTI, Cluster IA Vishwas Sansthan, Raebareli Machineries/items ordered shall be completed within the time limit prescribed in the purchase order to enable completion of erection and commissioning within 90 days from the date of issue of purchase order. This aspect will be taken up for discussion during the evaluation of the technical bid.

15. PAYMENT CONDITION;- Either follows Option 1 or Option 2 Option-1

15.1.1 - 30% of Contract value will be paid on execution of agreement.

15.1.2 - 40% of the Contract value will be paid on receipt of the complete set of machinery as per the order in full in good condition, at the destination, after acceptance by the tender committee.

15.1.3 - 20% of the Contract Value will be paid on successful completion of performance test.

15.1.4 - The balance 10% will be released only after satisfactory completion of the entire contract.

Option-2

15.2.1 - 70% of the Invoice value of each and every instalment of goods to be delivered will be disbursed as soon as the goods are delivered in the premises of the organisation.

15.2.2 - Balance 20% payment will be released after the completion of installation and commencing and training of all machines mentioned in work order.

15.2.3 - Balance 10% payment will be released after expiry of one year from the date of receipt of the goods.

16. PENALTY

16.1 Failure to execute the entire contract within 90 days from the date of issue of Purchase Order/ (&/with) advance payment, as the case may be, will attract a penalty of 1% per week, on the full value of the contract up to a maximum 5%. Delays beyond that period will result in cancellation of the orders.

17. TERMINATION OF THE CONTRACT

Vishwas Sansthan, Raibareli Uttar Pradesh reserves the right to terminate the contract at any time during the validity period on account of no-fulfilment of contract, on any count.

18. GENERAL CONDITION

18.1 Conditional Tender in any form will not be accepted

18.2 Any notice regarding any problems, to the supplier shall deemed to be sufficiently served, if given in writing at his usual or last known place of business

18.3 The Tender Committee reserves the right to reject any or all the tenders without assigning any reason thereof.

18.4 All the items of supply tendered shall be new and in any circumstances old, refurbished or second-hand machines/equipment/components will not be accepted.

18.5 The Tender Committee reserves the right to reduce or enhance quantity of items of supply without assigning any reason thereof.

18.6 The Tender Committee reserves the right to cancel the entire supply or part of supply, if the supply made is found to be not in terms of the tender conditions, at any stage of contract execution. In case of part cancellation or return of machine/components, the transport and other incidental expenses shall be borne by the supplier.

18.7 The Tender Committee reserves the right to relax or waive or amend any of the tender conditions.

19. ARBITRATION

19.1 In case of any dispute in the tender, including interpretation, if any on the clauses of the tender or the agreement to be executed, the matter shall be referred by Vishwas Sansthan, Raebareli, Wooden Craft and Decorative Goods Cluster Raebareli U.P, Tender to an Arbitrator to be appointed by the Parties hereto by mutual agreement. If no such Arbitrator could be appointed by mutual consent, the matter may then be referred to the PD, PPDC, Agra for nominating an Arbitrator, the Arbitration proceedings being governed by the Arbitration and Conciliation (Amendment) Act 2015.

19.2 The venue of the Arbitration shall be at the Regional Office, **PPDC**, **Agra**. The decision of the Arbitrator shall be final and binding on both the parties to the Arbitration.

19.3 The Arbitrator may with the mutual consent of the parties, extend the time for making the award. The award to be passed by the Arbitrator is enforceable in the court at Agra only.

20. JURISDICTION OF THE COURT

Any dispute arising out of non-fulfilment of any of the terms and conditions of this Tender/Agreement or any other dispute arising out of the arbitration award will be subject to the jurisdiction of the Courts in Indore only.

We agree to the above terms and conditions.

SIGNATURE OF THE TENDERER DATE: NAME IN BLOCK LETTERS: DESIGNATION: PROPRIETOR ADDRESS:

Annexure 1

VISHWAS SANSTHAN

BHAGWANT KAUR COLONY, CANAL ROAD, RAE BARELI MACHINERY FOR WOODEN CRAFT AND DECORATIVE GOODS CLUSTER, RAE BARELI LIST OF MACHINERY

			1
SL. NO.	NAME OF MACHINERY	SPECIFICATION	QTY
1	CNC ENGRAVING & CUTTING MACHINE – WITH ROTERY	COMMAND CODE: G CODE JOB, MATERIAL: WOOD , MDF, WPC, OPERATION MODE: AUTOMATIC, WORKING 1300X2500X200 MM, PRECISION: 0.005MM IN 300, MM2 WORKING AREA, SPINDLE: 7.5 KW WATER COOL HHD TAIWAN MAKE, RPM -24000, SOFTWARE: ART CAM	2
2	VACUUM MEMBRANE PRESS MACHINE DOUBLE TROLLEY	WORKING DIMENSION-2550X1150(1300) X50MM, MAX. WORKING HEIGHT-50MM, WORKING SPEED2-3 MIN/1 DOOR MAX. WORKING HEIGHT, TOTAL MOTOR POWER - 20KW	1
3	SUPPORTING EQUIPMENT & MACHINERY TOOLS	HAMMERS, DRILL BITS, RINCH FOR ALL NUMBERS, WOOD TURNING TOOLS, JACK PLAN BLADS, WOOD WORKING VICE,	1
4	CNC ROTERY SPACIAL DECORATIV GOODS MAKING	CNC ROTARY DOUBLE HEAD MACHINE, WORKING AREA - 100, MM CHUCK DIA X 600, SPINDLE – 2.8 KW, WATER COOL (DOUBLE HEAD) RMP -18,000 CONTROLLER –DSP, MOTOR DRIVE – SARVO	2
5	CNC WOOD LATHE WITH MILLING	MODEL NAME/NUMBER 640, MAXIMUM TURNING DIAMETER 180, MAXIMUM TURNING LENGTH 250, SPINDLE SIZE 32, SPINDLE MOTOR POWER FANUC 4.5KW CONTINU	1
6	CNC LASER MACHINE - CO2	ENGRAVING SPEED -0-24000 MM / MIN, REPOSITION ACCURACY -+1,-1 MM, WORKING VOLATE -110-220 V, 50-60 HZ, WORKING TEMP0-45, WORKING HUMIDITY -8-95%, MINIMUM LATTER SIZE -1X1 MM, SUPPORTED FILE – BMP,HPGL,PLT,DST,DXP&AI, DRIVING SYSTEM-STEPPER, LASER TUBE COOLING TYPE–WATER COOLING, LASER TUBE TYPE-SEALED, CO2 GLASS LASER TUBE, WEIGHT -500 KG	1
7	AUTO DOUBLE SURFACE PLANER	MAXIMUM WIDTH OF CUT:400MM(16") MAXIMUM THICKNESS OF CUT:200MM(8") MINIMUM THICKNESS OF CUT:8MM MINIMUM LENGTH OF CUT:250MM KNIFE SIZES(TCT):15X15X2.5MM CUTTERHEAD DIAMETER:101MM CUTTERHEAD SPEED: 5000RPM VARIABLE FEED SPEED :7-24 M/MIN DUST HOOD OUTLET DIAMETER:5"X2 TABLE	1
8	ACE ROUTER	PART NUMBER 060326CA00, POWER INPUT 1400 W, POWER OUTPUT 650 W, TOOLHOLDER 6 MM	2
9	ROUTER MACHINE (PLUNGE TYPE)	REVERSING SWITCH –YES, DRILLING DIAMETER-12 MM, PLUNGE DEPTH-50 MM, POWER INPUT-1300 WATT, NO LOAD SPEED-15000-30000 RPM	2
10	ROUTER BIT SET	SHANK DIAMETER: 8 MM, SET CONTAINS: 12 PIECES, MATERIAL: MILD STEEL, PACKAGING TYPE: BOX, TENSILE STRENGTH: 400 MPA	20

6.8MM TRIMMER FOR WOOD	NO LOAD SPEED (RPM) 10,000-30,000, ITEM WEIGHT (KGS) 1.8KG, CONTINUOUS RATING INPUT -710W, CAPACITY- COLLET 6MM, 8MM OR 1/4, 3/8 INCH, SOUND POWER	2
	, , ,	
	LEVEL- 93 DB(A)	
ORBITAL SANDER		2
RANDOM ORBITAL AIR SANDERS		2
	SPINDLE THREAD-5/16" - 24 NM, BPM-12000, HOSE	
	DIAMETER- 8MM	
SCREW DRIVER SET	MATERIAL – IRON, TYPES OF SCREWDRIVER- ALL TYPES OF	50
	SCREW OPENING, MODEL NAME/NUMBER- SCREWDRIVER	
	31, BRAND PROSCO, USAGE/APPLICATION- PERSONAL ,	
	PACKAGING TYPE-PLASTIC BOX, COLOR, MULTI COLOR,	
	QUANTITY PER PACK- 31 IN 1 SCREWDRIVER	
ELECTRICAL SCREW DRIVER SET	TORQUE (NEWTON METRE)5, .2 TO 45, POWER	10
	CONSUMPTION (WATT) 50000, NO LOAD SPEED (RPM) 750	
	TO 2000, ITEM WEIGHT (KGS) 5 TO 7 KG, APPLICATIONS	
	AUTOMOBILE, ELECTRIC SCREW DIA- 1.2 TO 6.0	
SPRING BALANCER	MATERIAL- METAL / FIBER, CAPACITY (KG) 0.5 TO 500,	5
	COLOR YELLOW AND BLACK , WEIGHT (KG) 0.5,	
	USAGE/APPLICATION- WEIGHT BALANCING	
WOOD MOUNDING MACHINE	AUTOMATION GRADE FULLY AUTOMATIC, MAX TURNING	1
POST FORMING	DIAMETER 20-300 MM, MAX TURNING LENGTH 100-1500	
	MM, NUMBER OF AXIS SINGLE AXIS, DOUBLE LATHE BLADE	
WOOD POLISHER MACHINE	USAGE/APPLICATION – WOOD, PACKAGING SIZE-10LTR,	1
	QUANTITY PER PACK-5 LTR, STATE/FORM –SOLVENT,	
	PACKAGING TYPE- CANS,	
PENAL FLOWER ROUTER	NO LOAD SPEED-0 TO 450 / 1300 / 2000 RPM, VOLTAGE-18	2
	V, BATTERY CHEMISTRY LI-ION, WEIGHT-2.2 KG, BATTERY	
	CAPACITY-5.0 AH, MAXIMUM TORQUE (HARD) 95 NM	
ANGLE GRINDER	NO LOAD SPEED-10000 RPM, POWER CONSUMPTION -1000	2
	W, USAGE/APPLICATION –INDUSTRIAL, TYPE OF POWER	
	TOOL -ANGLE GRINDER	
ELECTRIC FITTING WITH PANEL	ELECTRIC FITTING WITH PANEL FOR EVERY MACHINERY	1
	CONTROLER	
HAND TOOL KITS	NO. OF PIECES (KIT) 53 , TOOLS AVAILABLE (KIT) -RATCHET	10
	PIPE THREADER, PIPE WRENCH, HACKSAW FRAME FITTED	
	BLADE, SCREW DRIVER, PRODUCT SPECIFICATION:-	
	CONTAINS : IT CONTAINS 58 ARTICLES (ONE PC. EACH OF:	
	RATCHET PIPE THREADER INCH -1 INCH - PIPE WRENCH G.P	
	8 INCH, 10 INCH, 12 INCH, 14 INCH, 18 INCH, 24 INCH-	
	HACKSAW FRAME FITTED BLADE 12 INCH-SCREW DRIVER	
		1
	(ENGG. PATTERN) 10X250MM, NO LOAD SPEED-4800 RPM	
WOOD CUTTING SAW MACHINE	(ENGG. PATTERN) 10X250MM, NO LOAD SPEED-4800 RPM MAX. DEPTH OF CUT AT 90º: 77 MM, MAX. DEPTH OF CUT	1
	ELECTRICAL SCREW DRIVER SET SPRING BALANCER WOOD MOUNDING MACHINE POST FORMING WOOD POLISHER MACHINE PENAL FLOWER ROUTER ANGLE GRINDER ELECTRIC FITTING WITH PANEL	TYPE- PNEUMATIC RANDOM ORBITAL AIR SANDERS NO LOAD SPEED (RPM) 0.15 RPM, MO. NUMBER- 4151 HL2 AIR INLET (NPT) 1/4", SOUND POWER (DB) 81.6 DB, LENGTH (INCH) 10 INCH, CCN NO22041198, TORQUE-150 NM, SPINDLE THREAD-5/16" - 24 NM, BPM-12000, HOSE DIAMETER- 8MM SCREW DRIVER SET MATERIAL –IRON, TYPES OF SCREWDRIVER- ALL TYPES OF SCREW OPENING, MODEL NAME/NUMBER- SCREWDRIVER 31, BRAND PROSCO, USAGE/APPLICATION- PERSONAL , PACKAGING TYPE-PLASTIC BOX, COLOR, MULTI COLOR, QUANTITY PER PACK- 31 IN 1 SCREWDRIVER ELECTRICAL SCREW DRIVER SET TORQUE (NEWTON METRE) - 5, 21 O 45, POWER CONSUMPTION (WATT) 50000, NO LOAD SPEED (RPM) 750 TO 2000, ITEM WEIGHT (KGS) 5 TO 7 KG, APPLICATIONS AUTOMOBILE, ELECTRIC SCREW DIA- 1.2 TO 6.0 SPRING BALANCER MATERIAL- METAL / FIBER, CAPACITY (KG) 0.5 TO 500, COLOR YELLOW AND BLACK , WEIGHT (KG) 0.5, USAGE/APPLICATION - WEIGHT BALANCING WOOD MOUNDING MACHINE POST FORMING AUTOMATION GRADE FULLY AUTOMATIC, MAX TURNING DIAMETER 20-300 MM, MAX TURNING LENGTH 100-1500 MM, NUMBER OF AXIS SINGLE AXIS, DOUBLE LATHE BLADE WOOD POLISHER MACHINE VOOD POLISHER MACHINE USAGE/APPLICATION –WOOD, PACKAGING SIZE-10LTR, QUANTITY PER PACK-5 LTR, STATE/FORM –SOLVENT, PACKAGING TYPE- CANS, PENAL FLOWER ROUTER NO LOAD SPEED-0 TO 450 / 1300 / 2000 RPM, VOLTAGE-18 V, BATTERY CHEMISTRY LI-ION, WEIGHT-2.2 KG, BATTERY CAPACITY-5.0 AH, MAXIMUM TORQUE (HARD) 95 NM ANGLE GRINDER NO LOAD SPEED-10000 RPM, POWER CONSUMPTION -1000 W, USAGE/APPLICATION –INDUSTRIAL, TYPE OF POWER TOOL -ANGLE GRINDER ELECTRIC FITTING WITH PANEL ELECTRIC FITTING WITH PANEL

MACHINE 701W JIGSAW, 0- 3100SPM, 26MM STROKE NAME/NUMBER -GST 85 PBE, WARRANTY-3 YEAR, NO LOAD SPEED-3100 RPM, POWER CONSUMPTION-580 W, MAX. DRILL DIAMETER-85 NM, WEIGHT2.4 KG 25 BELT SANDER MACHINE WIDE BELT SANDER MODEL K-650-RP [SANDING MAX - SELECT SERIES, COMPLETE WITH FOLLOWING FEATURES : -• WORKING WIDTH: 650MM,• WITH ANTI-KICK-BACK DEVICE 26 SPRAY MACHINE WITH COMPRESSOR AUTOMATION GRADE -SEMI-AUTOMATIC, PRODUCT TYPE - PAINT SPRAYER, USAGE/APPLICATION -PAINT, WEIGHT-15 KG, MATERIAL PAINT, VOLTAGE-220 V, CAPACITY-5000 SF/ PER DAY POWER-220W, GRADE - SEMI AUTO, PRESSURE- 3300 PSI 27 SPINDLE MOLDING MACHINE AUTOMATION GRADE - SEMI-AUTOMATIC, USAGE/APPLICATION - DESIGNING, SPINDLE SPEED- 6000/8000, MATERIAL -CAST IRON, WEIGHT-550 KG, 28 POWER DRILL MACHINE TYPE - AUTOMATIC, POWER CONSUMPTION-2 HP, MATERIAL- STEL, CAPACITY -DIA SOMM DRILL HOLE, NUMBER OF SHAFT -MULTI SPINDLE AVAILABLE, USAGE/APPLICATION - METAL DRILLING 29 LABEL PRINTING MACHINE VOLTAGE-1 HP AC VOLTS, POWER SOURCE ELECTRIC, CUTTING SPEED-MAX SPEED 5000 PER HOURS, AUTOMATION GRADE-AUTOMATIC, WEIGHT-MACHINE WEIGHT 600 KG SIZE-M/C SIZE (LXWXH) 75"X36"X55" PRODUCT DESCRIPTION-THE FLEXO LABEL PRINTING MACHINE IS DESIGNED TO PRINT VARIOUS KINDS OF LABEL, STICKER, TRADEMARK, WHICH IS WIDELY USED IN THE AREA OF CLOTHES TRADEMARK, ELECTRONICS, TOYS, GIFTS, STATIONERY AND THE SUPERMARKET BARCODE LABEL PRINTING 30 SURFACE PLANNER CUM THICKNESS PLANNER WITH CIRCULAR SAW USAGE/APPLICATION -WOOD, POWER-3 TO 5 HP, MACHINE CAPACITY- HEAVY DUTY WORK, FEEDING SDEE- 1440 RPM, CIRCULAR SAW <	2 2 1
3100SPM, 26MM STROKE LENGTH, 2.6KGSSPEED-3100 RPM, POWER CONSUMPTION-580 W, MAX. DRILL DIAMETER-85 MM, WEIGHT2.4 KG25BELT SANDER MACHINEWIDE BELT SANDER MODEL K-650-R.P [SANDING MAX - SELECT SERIES, COMPLETE WITH FOLLOWING FEATURES : -• WORKING WIDTH: 650MM,• WITH ANT-KICK-BACK DEVICE26SPRAY MACHINE WITH COMPRESSORAUTOMATION GRADE -SEMI-AUTOMATIC, PRODUCT TYPE - PAINT SPRAYER, USAGE/APPLICATION -PAINT, WEIGHT-15 KG, MATERIAL PAINT, VOLTAGE-220 V, CAPACITV-5000 SF/ PER DAY POWER-220W, GRADE - SEMI AUTO, PRESSURE- 3300 PSI27SPINDLE MOLDING MACHINEAUTOMATION GRADE - SEMI-AUTOMATIC, USAGE/APPLICATION - DESIGNING, SPINDLE SPEED- 6000/8000, MATERIAL -CAST IRON, WEIGHT-550 KG,28POWER DRILLMACHINE TYPE - AUTOMATIC, OPWER CONSUMPTION-2 HP, MATERIAL - STELL, CAPACITY - DIA 50MM DRILL HOLE, NUMBER OF SHAFT -MULTI SPINDLE AVAILABLE, USAGE/APPLICATION -METAL DRILLING29LABEL PRINTING MACHINEVOLTAGE-1 HP AC VOLTS, POWER SOURCE ELECTRIC, CUTTING SPEED-MAX SPEED 5000 PER HOURS, AUTOMATION GRADE-AUTOMATIC, WEIGHT-MACHINE WEIGHT 600 KG SIZE-M/C SIZE (LXWXH) 75"X36"X55" PRODUCT DESCRIPTION-THE FLEXO LABEL PRINTING MACHINE IS DESIGNED TO PRINT VARIOUS KINDS OF LABEL, STICKER, TRADEMARK, WHICH IS WIDELY USED IN THE AREA OF CLOTHES TRADEMARK, ELECTRONICS, TOYS, GIFTS, STATIONERY AND THE SUPERMARKE BARCODE LABEL PRINTING30SURFACE PLANNER CUM CRACULAR SAWUSAGE/APPLICATION -WOOD, POWER-3 TO 5 HP, MACHINE CAPACITY - HEAVY DUTY WORK, FEEDING SIZE 13 INCH31DEWALT BISCUIT JOINER KIT, MODEL NAME/NUMBER- HR-750 OR HR-3A, NO LOAD SPEED	
LENGTH, 2.6KGSDRILL DIAMETER-85 MM, WEIGHT2.4 KG25BELT SANDER MACHINEWIDE BELT SANDER MODEL K-650-R-RP [SANDING MAX - SELECT SERIES, COMPLETE WITH FOLLOWING FEATURES : -• WORKING WIDTH: 650MM, • WITH ANTI-KICK-BACK DEVICE26SPRAY MACHINE WITH COMPRESSORAUTOMATION GRADE - SEMI-AUTOMATIC, PRODUCT TYPE - PAINT SPRAYER, USAGE/APPLICATION -PAINT, WEIGHT-15 KG, MATERIAL PAINT, VOLTAGE-220 V, CAPACITY-5000 SF/ PER DAY POWER-220W, GRADE - SEMI AUTO, PRESSURE- 	
25 BELT SANDER MACHINE WIDE BELT SANDER MODEL K-650-R-RP [SANDING MAX - SELECT SERIES, COMPLETE WITH FOLLOWING FEATURES : -• WORKING WIDTH: 650MM,• WITH ANTI-KICK-BACK DEVICE 26 SPRAY MACHINE WITH COMPRESSOR AUTOMATION GRADE -SEMI-AUTOMATIC, PRODUCT TYPE - PAINT SPRAYER, USAGE/APPLICATION -PAINT, WEIGHT-15 KG, MATERIAL PAINT, VOLTAGE-220 V, CAPACITY-5000 SF/ PER DAY POWER-220W, GRADE - SEMI AUTO, PRESSURE- 3300 PSI 27 SPINDLE MOLDING MACHINE AUTOMATION GRADE - SEMI-AUTOMATIC, USAGE/APPLICATION - DESIGNING, SPINDLE SPEED- 6000/8000, MATERIAL -CAST IRON, WEIGHT-550 KG, 28 POWER DRILL MACHINE TYPE - AUTOMATIC, POWER CONSUMPTION-2 HP, MATERIAL - STEEL, CAPACITY -DIA 50MM DRILL HOLE, NUMBER OF SHAFT -MULTI SPINDLE AVAILABLE, USAGE/APPLICATION -METAL DRILLING 29 LABEL PRINTING MACHINE VOLTAGE-1 HP AC VOLTS, POWER SOURCE ELECTRIC, CUTTING SPEED-MAX SPEED 5000 PER HOURS, AUTOMATION GRADE-AUTOMATIC, WEIGHT-MACHINE WEIGHT 600 KG SIZE-M/C SIZE (LXWXH) 75"X36"X55" PRODUCT DESCRIPTION-THE FLEXO LABEL PRINTING MACHINE IS DESIGNED TO PRIX VARIOUS KINDS OF LABEL, STICKER, TRADEMARK, WHICH IS WIDELY USED IN THE AREA OF CLOTHES TRADEMARK, ELECTRONICS, TOYS, GIFTS, STATIONERY AND THE SUPERMARKET BARCODE LABEL PRINTING 30 SURFACE PLANNER CUM CIRCULAR SAW USAGE/APPLICATION -WOOD, POWER-3 TO 5 HP, MACHINE CAPACITY- HEAVY DUTY WORK, FEEDING SPEED- 1440 RPM, MATERIAL-CI CAST IRON, PACKAGING SIZE- 13 INCH 31 DEWALT BISCUIT JOINER KIT,	
SELECT SERIES, COMPLETE WITH FOLLOWING FEATURES : -• WORKING WIDTH: 650MM, • WITH ANTI-KICK-BACK DEVICE26SPRAY MACHINE WITH COMPRESSORAUTOMATION GRADE - SEMI-AUTOMATIC, PRODUCT TYPE - PAINT SPRAYER, USAGE/APPLICATION -PAINT, WEIGHT-15 KG, MATERIAL PAINT, VOLTAGE-220 V, CAPACITY-5000 SF/ PER DAY POWER-220W, GRADE - SEMI AUTO, PRESSURE- 3300 PSI27SPINDLE MOLDING MACHINE BOWER DRILLAUTOMATION GRADE - SEMI-AUTOMATIC, USAGE/APPLICATION - DESIGNING, SPINDLE SPEED- 6000/8000, MATERIAL -CAST IRON, WEIGHT-550 KG,28POWER DRILLMACHINE TYPE - AUTOMATIC, POWER CONSUMPTION-2 HP, MATERIAL - CAST IRON, WEIGHT-550 KG,29LABEL PRINTING MACHINEVOLTAGE-1 HP AC VOLTS, POWER CONSUMPTION-2 HP, MATERIAL - STEEL, CAPACITY - DIA 50MM DRILL HOLE, NUMBER OF SHAFT -MULTI SPINDLE AVAILABLE, USAGE/APPLICATION - METAL DRILLING29LABEL PRINTING MACHINEVOLTAGE-1 HP AC VOLTS, POWER SOURCE ELECTRIC, CUTTING SPEED-MAX SPEED 5000 PER HOURS, AUTOMATION GRADE-AUTOMATIC, WEIGHT-MACHINE WEIGHT 600 KG SIZE-M/C SIZE (LXWXH) 75"X36"X55" PRODUCT DESCRIPTION-THE FLEXO LABEL PRINTING MACHINE IS DESIGNED TO PRINT VARIOUS KINDS OF LABEL, STICKER, TRADEMARK, WHICH IS WIDELY USED IN THE AREA OF CLOTHES TRADEMARK, ELECTRONICS, TOYS, GIFTS, STATIONERY AND THE SUPERMARKET BARCODE LABEL PRINTING30SURFACE PLANNER CUM THICKNESS PLANNER WITH CIRCULAR SAWUSAGE/APPLICATION -WOOD, POWER-3 TO 5 HP, MACHINE CAPACITY HEAVY DUTY WORK, FEEDING SPEED- 1440 RPM, MATERIAL-CI CAST IRON, PACKAGING SIZE- 13 INCH31DEWALT BISCUIT JOINER KIT,MODEL NAME/NUMBER- HR-750 OR HR-34, NO LOAD SPEED	
WORKING WIDTH: 650MM, • WITH ANTI-KICK-BACK DEVICE26SPRAY MACHINE WITH COMPRESSORAUTOMATION GRADE -SEMI-AUTOMATIC, PRODUCT TYPE - PAINT SPRAYER, USAGE/APPLICATION -PAINT, WEIGHT-15 KG, MATERIAL PAINT, VOLTAGE-220 V, CAPACITY-5000 SF/ PER DAY POWER-220W, GRADE - SEMI AUTO, PRESSURE- 3300 PSI27SPINDLE MOLDING MACHINEAUTOMATION GRADE - SEMI-AUTOMATIC, USAGE/APPLICATION - DESIGNING, SPINDLE SPEED- 6000/8000, MATERIAL -CAST IRON, WEIGHT-550 KG,28POWER DRILLMACHINE TYPE - AUTOMATIC, POWER CONSUMPTION-2 HP, MATERIAL- STEEL, CAPACITY -DIA SOMM DRILL HOLE, NUMBER OF SHAFT -MULTI SPINDLE AVAILABLE, USAGE/APPLICATION -METAL DRILLING29LABEL PRINTING MACHINEVOLTAGE-1 HP AC VOLTS, POWER SOURCE ELECTRIC, CUTTING SPEED-MAX SPEED 5000 PER HOURS, AUTOMATION GRADE-AUTOMATIC, WEIGHT-MACHINE WEIGHT 600 KG SIZE-M/C SIZE (LXWXH) 75"X36"X55" PRODUCT DESCRIPTION-THE FLEXO LABEL PRINTING MACHINE IS DESIGNED TO PRINT VARIOUS KINDS OF LABEL, STICKER, TRADEMARK, WHICH IS WIDELY USED IN THE AREA OF CLOTHES TRADEMARK, ELECTRONICS, TOYS, GIFTS, STATIONERY AND THE SUPERMARKET BARCODE LABEL PRINTING30SURFACE PLANNER CUM THICKNESS PLANNER WITH CRAPCITY - HEAVY DUTY WORK, FEEDING SPEED - 1440 RPM, MATERIAL-IC AST IRON, PACKAGING SIZE-13 INCH31DEWALT BISCUIT JOINER KIT, MODEL NAME/NUMBER- HR-750 OR HR-3A, NO LOAD SPEED	1
26 SPRAY MACHINE WITH COMPRESSOR AUTOMATION GRADE -SEMI-AUTOMATIC, PRODUCT TYPE - PAINT SPRAYER, USAGE/APPLICATION -PAINT, WEIGHT-15 KG, MATERIAL PAINT, VOLTAGE-220 V, CAPACITY-5000 SF/ PER DAY POWER-220W, GRADE - SEMI AUTO, PRESSURE- 3300 PSI 27 SPINDLE MOLDING MACHINE AUTOMATION GRADE - SEMI-AUTOMATIC, USAGE/APPLICATION - DESIGNING, SPINDLE SPEED- 6000/8000, MATERIAL -CAST IRON, WEIGHT-550 KG, 28 POWER DRILL MACHINE TYPE - AUTOMATIC, POWER CONSUMPTION-2 HP, MATERIAL- STEEL, CAPACITY -DIA 50MM DRILL HOLE, NUMBER OF SHAFT -MULTI SPINDLE AVAILABLE, USAGE/APPLICATION -METAL DRILLING 29 LABEL PRINTING MACHINE VOLTAGE-1 HP AC VOLTS, POWER SOURCE ELECTRIC, CUTTING SPEED-MAX SPEED 5000 PER HOURS, AUTOMATION GRADE-AUTOMATIC, WEIGHT-MACHINE WEIGHT 600 KG SIZE-M/C SIZE (LXWXH) 75"X36"X55" PRODUCT DESCRIPTION-THE FLEXO LABEL PRINTING MACHINE IS DESIGNED TO PRINT VARIOUS KINDS OF LABEL, STICKER, TRADEMARK, WHICH IS WIDELY USED IN THE AREA OF CLOTHES TRADEMARK, ELECTRONICS, TOYS, GIFTS, STATIONERY AND THE SUPERMARKET BARCODE LABEL PRINTING 30 SURFACE PLANNER CUM THICKNESS PLANNER WITH CIRCULAR SAW USAGE/APPLICATION -WOOD, POWER-3 TO 5 HP, MACHINE CAPACITY- HEAVY DUTY WORK, FEEDING SPEED- 1440 RPM, MATERIAL-CI CAST IRON, PACKAGING SIZE- 13 INCH 31 DEWALT BISCUIT JOINER KIT, MODEL NAME/NUMBER- HR-750 OR HR-3A, NO LOAD SPEED	1
COMPRESSORPAINT SPRAYER, USAGE/APPLICATION -PAINT, WEIGHT-15 KG, MATERIAL PAINT, VOLTAGE-220 V, CAPACITY-5000 SF/ PER DAY POWER-220W, GRADE- SEMI AUTO, PRESSURE- 3300 PSI27SPINDLE MOLDING MACHINEAUTOMATION GRADE- SEMI-AUTOMATIC, USAGE/APPLICATION - DESIGNING, SPINDLE SPEED- 6000/8000, MATERIAL -CAST IRON, WEIGHT-550 KG,28POWER DRILLMACHINE TYPE- AUTOMATIC, POWER CONSUMPTION-2 HP, MATERIAL - STEEL, CAPACITY - DIA 50MM DRILL HOLE, NUMBER OF SHAFT -MULTI SPINDLE AVAILABLE, USAGE/APPLICATION - METAL DRILLING29LABEL PRINTING MACHINEVOLTAGE-1 HP AC VOLTS, POWER SOURCE ELECTRIC, CUTTING SPEED-MAX SPEED 5000 PER HOURS, AUTOMATION GRADE-AUTOMATIC, WEIGHT-MACHINE WEIGHT 600 KG SIZE-M/C SIZE (LXWXH) 75"X36"X55" PRODUCT DESCRIPTION-THE FLEXO LABEL PRINTING MACHINE IS DESIGNED TO PRINT VARIOUS KINDS OF LABEL, STICKER, TRADEMARK, WHICH IS WIDELY USED IN THE AREA OF CLOTHES TRADEMARK, ELECTRONICS, TOYS, GIFTS, STATIONERY AND THE SUPERMARKET BARCODE LABEL PRINTING30SURFACE PLANNER CUM THICKNESS PLANNER WITH CRPACITY - HEAVY DUTY WORK, FEEDING SPEED- 1440 RPM, MATERIAL-CI CAST IRON, PACKAGING SIZE- 13 INCH31DEWALT BISCUIT JOINER KIT,MODEL NAME/NUMBER- HR-750 OR HR-3A, NO LOAD SPEED	1
KG, MATERIAL PAINT, VOLTAGE-220 V, CAPACITY-5000 SF/ PER DAY POWER-220W, GRADE- SEMI AUTO, PRESSURE- 3300 PSI27SPINDLE MOLDING MACHINEAUTOMATION GRADE- SEMI-AUTOMATIC, USAGE/APPLICATION- DESIGNING, SPINDLE SPEED- 6000/8000, MATERIAL -CAST IRON, WEIGHT-550 KG,28POWER DRILLMACHINE TYPE- AUTOMATIC, POWER CONSUMPTION-2 HP, MATERIAL- STEEL, CAPACITY -DIA 50MM DRILL HOLE, NUMBER OF SHAFT -MULTI SPINDLE AVAILABLE, USAGE/APPLICATION -METAL DRILLING29LABEL PRINTING MACHINEVOLTAGE-1 HP AC VOLTS, POWER SOURCE ELECTRIC, CUTTING SPEED-MAX SPEED 5000 PER HOURS, AUTOMATION GRADE-AUTOMATIC, WEIGHT-MACHINE WEIGHT 600 KG SIZE-M/C SIZE (LXWXH) 75"X36"X55" PRODUCT DESCRIPTION-THE FLEXO LABEL PRINTING MACHINE IS DESIGNED TO PRINT VARIOUS KINDS OF LABEL, 	
PER DAY POWER-220W, GRADE- SEMI AUTO, PRESSURE- 3300 PSI27SPINDLE MOLDING MACHINEAUTOMATION GRADE- SEMI-AUTOMATIC, USAGE/APPLICATION- DESIGNING, SPINDLE SPEED- 6000/8000, MATERIAL -CAST IRON, WEIGHT-550 KG,28POWER DRILLMACHINE TYPE- AUTOMATIC, POWER CONSUMPTION-2 HP, MATERIAL- STEEL, CAPACITY -DIA SOMM DRILL HOLE, NUMBER OF SHAFT -MULTI SPINDLE AVAILABLE, USAGE/APPLICATION -METAL DRILLING29LABEL PRINTING MACHINEVOLTAGE-1 HP AC VOLTS, POWER SOURCE ELECTRIC, CUTTING SPEED-MAX SPEED 5000 PER HOURS, AUTOMATION GRADE-AUTOMATIC, WEIGHT-MACHINE WEIGHT 600 KG SIZE-M/C SIZE (LXWXH) 75"X36"X55" PRODUCT DESCRIPTION-THE FLEXO LABEL PRINTING MACHINE IS DESIGNED TO PRINT VARIOUS KINDS OF LABEL, STICKER, TRADEMARK, WHICH IS WIDELY USED IN THE AREA OF CLOTHES TRADEMARK, ELECTRONICS, TOYS, GIFTS, STATIONERY AND THE SUPERMARKET BARCODE LABEL PRINTING30SURFACE PLANNER CUM THICKNESS PLANNER WITH CRPULAR SAWUSAGE/APPLICATION -WOOD, POWER-3 TO 5 HP, MACHINE CAPACITY- HEAVY DUTY WORK, FEEDING SPEED- 1440 RPM, MATERIAL-CI CAST IRON, PACKAGING SIZE- 13 INCH31DEWALT BISCUIT JOINER KIT,MODEL NAME/NUMBER- HR-750 OR HR-3A, NO LOAD SPEED	
3300 PSI27SPINDLE MOLDING MACHINEAUTOMATION GRADE- SEMI-AUTOMATIC, USAGE/APPLICATION- DESIGNING, SPINDLE SPEED- 6000/8000, MATERIAL -CAST IRON, WEIGHT-550 KG,28POWER DRILLMACHINE TYPE- AUTOMATIC, POWER CONSUMPTION-2 HP, MATERIAL- STEEL, CAPACITY -DIA 50MM DRILL HOLE, NUMBER OF SHAFT -MULTI SPINDLE AVAILABLE, USAGE/APPLICATION -METAL DRILLING29LABEL PRINTING MACHINEVOLTAGE-1 HP AC VOLTS, POWER SOURCE ELECTRIC, CUTTING SPEED-MAX SPEED 5000 PER HOURS, AUTOMATION GRADE-AUTOMATIC, WEIGHT-MACHINE WEIGHT 600 KG SIZE-M/C SIZE (LXWXH) 75"X36"X55" PRODUCT DESCRIPTION-THE FLEXO LABEL PRINTING MACHINE IS DESIGNED TO PRINT VARIOUS KINDS OF LABEL, STICKER, TRADEMARK, WHICH IS WIDELY USED IN THE AREA OF CLOTHES TRADEMARK, WHICH IS WIDELY USED IN THE AREA OF CLOTHES TRADEMARK, HECTRONICS, TOYS, GIFTS, STATIONERY AND THE SUPERMARKET BARCODE LABEL PRINTING30SURFACE PLANNER CUM THICKNESS PLANNER WITH CIRCULAR SAWUSAGE/APPLICATION -WOOD, POWER-3 TO 5 HP, MACHINE CAPACITY - HEAVY DUTY WORK, FEEDING SPEED - 1440 RPM, MATERIAL-CI CAST IRON, PACKAGING SIZE- 13 INCH31DEWALT BISCUIT JOINER KIT, MODEL NAME/NUMBER - HR-750 OR HR-3A, NO LOAD SPEED	
27SPINDLE MOLDING MACHINEAUTOMATION GRADE- SEMI-AUTOMATIC, USAGE/APPLICATION- DESIGNING, SPINDLE SPEED- 6000/8000, MATERIAL -CAST IRON, WEIGHT-550 KG,28POWER DRILLMACHINE TYPE- AUTOMATIC, POWER CONSUMPTION-2 HP, MATERIAL- STEEL, CAPACITY -DIA 50MM DRILL HOLE, NUMBER OF SHAFT -MULTI SPINDLE AVAILABLE, USAGE/APPLICATION -METAL DRILLING29LABEL PRINTING MACHINEVOLTAGE-1 HP AC VOLTS, POWER SOURCE ELECTRIC, CUTTING SPEED-MAX SPEED 5000 PER HOURS, AUTOMATION GRADE-AUTOMATIC, WEIGHT-MACHINE WEIGHT 600 KG SIZE-M/C SIZE (LXWXH) 75"X36"X55" PRODUCT DESCRIPTION-THE FLEXO LABEL PRINTING MACHINE IS DESIGNED TO PRINT VARIOUS KINDS OF LABEL, STICKER, TRADEMARK, WHICH IS WIDELY USED IN THE AREA OF CLOTHES TRADEMARK, ELECTRONICS, TOYS, GIFTS, STATIONERY AND THE SUPERMARKET BARCODE LABEL PRINTING30SURFACE PLANNER CUM THICKNESS PLANNER WITH CIRCULAR SAWUSAGE/APPLICATION -WOOD, POWER-3 TO 5 HP, MACHINE CAPACITY- HEAVY DUTY WORK, FEEDING SPEED- 1440 RPM, MATERIAL-CI CAST IRON, PACKAGING SIZE- 13 INCH31DEWALT BISCUIT JOINER KIT, MODEL NAME/NUMBER- HR-750 OR HR-3A, NO LOAD SPEED	
USAGE/APPLICATION- DESIGNING, SPINDLE SPEED- 6000/8000, MATERIAL -CAST IRON, WEIGHT-550 KG,28POWER DRILLMACHINE TYPE- AUTOMATIC, POWER CONSUMPTION-2 HP, MATERIAL- STEEL, CAPACITY -DIA 50MM DRILL HOLE, NUMBER OF SHAFT -MULTI SPINDLE AVAILABLE, USAGE/APPLICATION -METAL DRILLING29LABEL PRINTING MACHINEVOLTAGE-1 HP AC VOLTS, POWER SOURCE ELECTRIC, CUTTING SPEED-MAX SPEED 5000 PER HOURS, AUTOMATION GRADE-AUTOMATIC, WEIGHT-MACHINE WEIGHT 600 KG SIZE-M/C SIZE (LXWXH) 75"X36"X55" PRODUCT DESCRIPTION-THE FLEXO LABEL PRINTING MACHINE IS DESIGNED TO PRINT VARIOUS KINDS OF LABEL, STICKER, TRADEMARK, WHICH IS WIDELY USED IN THE AREA OF CLOTHES TRADEMARK, ELECTRONICS, TOYS, GIFTS, STATIONERY AND THE SUPERMARKET BARCODE LABEL PRINTING30SURFACE PLANNER CUM THICKNESS PLANNER WITH CIRCULAR SAWUSAGE/APPLICATION -WOOD, POWER-3 TO 5 HP, MACHINE CAPACITY- HEAVY DUTY WORK, FEEDING SPEED- 1440 RPM, MATERIAL-CI CAST IRON, PACKAGING SIZE- 13 INCH31DEWALT BISCUIT JOINER KIT,MODEL NAME/NUMBER- HR-750 OR HR-3A, NO LOAD SPEED	
28POWER DRILL6000/8000, MATERIAL -CAST IRON, WEIGHT-550 KG,28POWER DRILLMACHINE TYPE- AUTOMATIC, POWER CONSUMPTION-2 HP, MATERIAL- STEEL, CAPACITY -DIA 50MM DRILL HOLE, NUMBER OF SHAFT -MULTI SPINDLE AVAILABLE, USAGE/APPLICATION -METAL DRILLING29LABEL PRINTING MACHINEVOLTAGE-1 HP AC VOLTS, POWER SOURCE ELECTRIC, CUTTING SPEED-MAX SPEED 5000 PER HOURS, AUTOMATION GRADE-AUTOMATIC, WEIGHT-MACHINE WEIGHT 600 KG SIZE-M/C SIZE (LXWXH) 75"X36"X55" PRODUCT DESCRIPTION-THE FLEXO LABEL PRINTING MACHINE IS DESIGNED TO PRINT VARIOUS KINDS OF LABEL, STICKER, TRADEMARK, WHICH IS WIDELY USED IN THE AREA OF CLOTHES TRADEMARK, ELECTRONICS, TOYS, GIFTS, STATIONERY AND THE SUPERMARKET BARCODE LABEL PRINTING30SURFACE PLANNER CUM THICKNESS PLANNER WITH CIRCULAR SAWUSAGE/APPLICATION -WOOD, POWER-3 TO 5 HP, MACHINE CAPACITY- HEAVY DUTY WORK, FEEDING SPEED- 1440 RPM, MATERIAL-CI CAST IRON, PACKAGING SIZE- 13 INCH31DEWALT BISCUIT JOINER KIT,MODEL NAME/NUMBER- HR-750 OR HR-3A, NO LOAD SPEED	1
28FOWER DRILL6000/8000, MATERIAL -CAST IRON, WEIGHT-550 KG,28POWER DRILLMACHINE TYPE- AUTOMATIC, POWER CONSUMPTION-2 HP, MATERIAL- STEEL, CAPACITY -DIA 50MM DRILL HOLE, NUMBER OF SHAFT -MULTI SPINDLE AVAILABLE, USAGE/APPLICATION -METAL DRILLING29LABEL PRINTING MACHINEVOLTAGE-1 HP AC VOLTS, POWER SOURCE ELECTRIC, CUTTING SPEED-MAX SPEED 5000 PER HOURS, AUTOMATION GRADE-AUTOMATIC, WEIGHT-MACHINE29LABEL PRINTING MACHINEVOLTAGE-1 HP AC VOLTS, POWER SOURCE ELECTRIC, CUTTING SPEED-MAX SPEED 5000 PER HOURS, AUTOMATION GRADE-AUTOMATIC, WEIGHT-MACHINE29NUMBER OF SHAFT -MULTI SPINDLE AVAILABLE, USAGE/APPLICATION GRADE-AUTOMATIC, WEIGHT-MACHINE29VOLTAGE-1 HP AC VOLTS, POWER SOURCE ELECTRIC, CUTTING SPEED-MAX SPEED 5000 PER HOURS, AUTOMATION GRADE-AUTOMATIC, WEIGHT-MACHINE29VOLTAGE-1 HP AC VOLTS, POWER SOURCE ELECTRIC, CUTTING SPEED-MAX SPEED 5000 PER HOURS, AUTOMATION GRADE-AUTOMATIC, WEIGHT-MACHINE20SURFACE PLANNER CUM THICKNESS PLANNER WITH CRCULAR SAWUSAGE/APPLICATION -WOOD, POWER-3 TO 5 HP, MACHINE CAPACITY- HEAVY DUTY WORK, FEEDING SPEED- 1440 RPM, MATERIAL-CI CAST IRON, PACKAGING SIZE- 13 INCH31DEWALT BISCUIT JOINER KIT, MODEL NAME/NUMBER- HR-750 OR HR-3A, NO LOAD SPEED	
28POWER DRILLMACHINE TYPE- AUTOMATIC, POWER CONSUMPTION-2 HP, MATERIAL- STEEL, CAPACITY - DIA 50MM DRILL HOLE, NUMBER OF SHAFT -MULTI SPINDLE AVAILABLE, USAGE/APPLICATION -METAL DRILLING29LABEL PRINTING MACHINEVOLTAGE-1 HP AC VOLTS, POWER SOURCE ELECTRIC, CUTTING SPEED -MAX SPEED 5000 PER HOURS, AUTOMATION GRADE-AUTOMATIC, WEIGHT-MACHINE WEIGHT 600 KG SIZE-M/C SIZE (LXWXH) 75"X36"X55" PRODUCT DESCRIPTION-THE FLEXO LABEL PRINTING MACHINE IS DESIGNED TO PRINT VARIOUS KINDS OF LABEL, STICKER, TRADEMARK, WHICH IS WIDELY USED IN THE AREA OF CLOTHES TRADEMARK, ELECTRONICS, TOYS, GIFTS, STATIONERY AND THE SUPERMARKET BARCODE LABEL PRINTING30SURFACE PLANNER CUM THICKNESS PLANNER WITH CIRCULAR SAWUSAGE/APPLICATION -WOOD, POWER-3 TO 5 HP, MACHINE CAPACITY- HEAVY DUTY WORK, FEEDING SPEED- 1440 RPM, MATERIAL-CI CAST IRON, PACKAGING SIZE- 13 INCH31DEWALT BISCUIT JOINER KIT,MODEL NAME/NUMBER- HR-750 OR HR-3A, NO LOAD SPEED	
MATERIAL- STEEL, CAPACITY -DIA 50MM DRILL HOLE, NUMBER OF SHAFT -MULTI SPINDLE AVAILABLE, USAGE/APPLICATION -METAL DRILLING29LABEL PRINTING MACHINEVOLTAGE-1 HP AC VOLTS, POWER SOURCE ELECTRIC, CUTTING SPEED-MAX SPEED 5000 PER HOURS, AUTOMATION GRADE-AUTOMATIC, WEIGHT-MACHINE WEIGHT 600 KG SIZE-M/C SIZE (LXWXH) 75"X36"X55" PRODUCT DESCRIPTION-THE FLEXO LABEL PRINTING MACHINE IS DESIGNED TO PRINT VARIOUS KINDS OF LABEL, STICKER, TRADEMARK, WHICH IS WIDELY USED IN THE AREA OF CLOTHES TRADEMARK, ELECTRONICS, TOYS, GIFTS, STATIONERY AND THE SUPERMARKET BARCODE LABEL PRINTING30SURFACE PLANNER CUM THICKNESS PLANNER WITH CIRCULAR SAWUSAGE/APPLICATION -WOOD, POWER-3 TO 5 HP, MACHINE CAPACITY- HEAVY DUTY WORK, FEEDING SPEED- 1440 RPM, MATERIAL-CI CAST IRON, PACKAGING SIZE- 13 INCH31DEWALT BISCUIT JOINER KIT,MODEL NAME/NUMBER- HR-750 OR HR-3A, NO LOAD SPEED	1
29LABEL PRINTING MACHINEVOLTAGE-1 HP AC VOLTS, POWER SOURCE ELECTRIC, CUTTING SPEED-MAX SPEED 5000 PER HOURS, AUTOMATION GRADE-AUTOMATIC, WEIGHT-MACHINE WEIGHT 600 KG SIZE-M/C SIZE (LXWXH) 75"X36"X55" PRODUCT DESCRIPTION-THE FLEXO LABEL PRINTING MACHINE IS DESIGNED TO PRINT VARIOUS KINDS OF LABEL, STICKER, TRADEMARK, WHICH IS WIDELY USED IN THE AREA OF CLOTHES TRADEMARK, ELECTRONICS, TOYS, GIFTS, STATIONERY AND THE SUPERMARKET BARCODE LABEL PRINTING30SURFACE PLANNER CUM THICKNESS PLANNER WITH CIRCULAR SAWUSAGE/APPLICATION -WOOD, POWER-3 TO 5 HP, MACHINE CAPACITY- HEAVY DUTY WORK, FEEDING SPEED- 1440 RPM, MATERIAL-CI CAST IRON, PACKAGING SIZE- 13 INCH31DEWALT BISCUIT JOINER KIT,MODEL NAME/NUMBER- HR-750 OR HR-3A, NO LOAD SPEED	-
29LABEL PRINTING MACHINEVOLTAGE-1 HP AC VOLTS, POWER SOURCE ELECTRIC, CUTTING SPEED-MAX SPEED 5000 PER HOURS, AUTOMATION GRADE-AUTOMATIC, WEIGHT-MACHINE WEIGHT 600 KG SIZE-M/C SIZE (LXWXH) 75"X36"X55" PRODUCT DESCRIPTION-THE FLEXO LABEL PRINTING MACHINE IS DESIGNED TO PRINT VARIOUS KINDS OF LABEL, STICKER, TRADEMARK, WHICH IS WIDELY USED IN THE AREA OF CLOTHES TRADEMARK, ELECTRONICS, TOYS, GIFTS, STATIONERY AND THE SUPERMARKET BARCODE LABEL PRINTING30SURFACE PLANNER CUM THICKNESS PLANNER WITH CIRCULAR SAWUSAGE/APPLICATION -WOOD, POWER-3 TO 5 HP, MACHINE CAPACITY- HEAVY DUTY WORK, FEEDING SPEED- 1440 RPM, MATERIAL-CI CAST IRON, PACKAGING SIZE- 13 INCH31DEWALT BISCUIT JOINER KIT,MODEL NAME/NUMBER- HR-750 OR HR-3A, NO LOAD SPEED	
29LABEL PRINTING MACHINEVOLTAGE-1 HP AC VOLTS, POWER SOURCE ELECTRIC, CUTTING SPEED-MAX SPEED 5000 PER HOURS, AUTOMATION GRADE-AUTOMATIC, WEIGHT-MACHINE WEIGHT 600 KG SIZE-M/C SIZE (LXWXH) 75"X36"X55" PRODUCT DESCRIPTION-THE FLEXO LABEL PRINTING MACHINE IS DESIGNED TO PRINT VARIOUS KINDS OF LABEL, STICKER, TRADEMARK, WHICH IS WIDELY USED IN THE AREA OF CLOTHES TRADEMARK, ELECTRONICS, TOYS, GIFTS, STATIONERY AND THE SUPERMARKET BARCODE LABEL PRINTING30SURFACE PLANNER CUM THICKNESS PLANNER WITH CIRCULAR SAWUSAGE/APPLICATION –WOOD, POWER-3 TO 5 HP, MACHINE CAPACITY- HEAVY DUTY WORK, FEEDING SPEED- 1440 RPM, MATERIAL-CI CAST IRON, PACKAGING SIZE- 13 INCH31DEWALT BISCUIT JOINER KIT,MODEL NAME/NUMBER- HR-750 OR HR-3A, NO LOAD SPEED	
CUTTING SPEED-MAX SPEED 5000 PER HOURS, AUTOMATION GRADE-AUTOMATIC, WEIGHT-MACHINE WEIGHT 600 KG SIZE-M/C SIZE (LXWXH) 75"X36"X55" PRODUCT DESCRIPTION-THE FLEXO LABEL PRINTING MACHINE IS DESIGNED TO PRINT VARIOUS KINDS OF LABEL, STICKER, TRADEMARK, WHICH IS WIDELY USED IN THE AREA OF CLOTHES TRADEMARK, ELECTRONICS, TOYS, GIFTS, STATIONERY AND THE SUPERMARKET BARCODE LABEL PRINTING30SURFACE PLANNER CUM THICKNESS PLANNER WITH CIRCULAR SAWUSAGE/APPLICATION -WOOD, POWER-3 TO 5 HP, MACHINE CAPACITY- HEAVY DUTY WORK, FEEDING SPEED- 1440 RPM, MATERIAL-CI CAST IRON, PACKAGING SIZE- 13 INCH31DEWALT BISCUIT JOINER KIT,MODEL NAME/NUMBER- HR-750 OR HR-3A, NO LOAD SPEED	1
AUTOMATION GRADE-AUTOMATIC, WEIGHT-MACHINEWEIGHT 600 KG SIZE-M/C SIZE (LXWXH) 75"X36"X55"PRODUCT DESCRIPTION-THE FLEXO LABEL PRINTINGMACHINE IS DESIGNED TO PRINT VARIOUS KINDS OF LABEL, STICKER, TRADEMARK, WHICH IS WIDELY USED IN THE AREAOF CLOTHES TRADEMARK, WHICH IS WIDELY USED IN THE AREAOF CLOTHES TRADEMARK, ELECTRONICS, TOYS, GIFTS, STATIONERY AND THE SUPERMARKET BARCODE LABEL PRINTING30SURFACE PLANNER CUM THICKNESS PLANNER WITH CIRCULAR SAWUSAGE/APPLICATION -WOOD, POWER-3 TO 5 HP, MACHINE CAPACITY- HEAVY DUTY WORK, FEEDING SPEED- 1440 RPM, MATERIAL-CI CAST IRON, PACKAGING SIZE- 13 INCH31DEWALT BISCUIT JOINER KIT, MODEL NAME/NUMBER- HR-750 OR HR-3A, NO LOAD SPEED	-
 WEIGHT 600 KG SIZE-M/C SIZE (LXWXH) 75"X36"X55" PRODUCT DESCRIPTION-THE FLEXO LABEL PRINTING MACHINE IS DESIGNED TO PRINT VARIOUS KINDS OF LABEL, STICKER, TRADEMARK, WHICH IS WIDELY USED IN THE AREA OF CLOTHES TRADEMARK, ELECTRONICS, TOYS, GIFTS, STATIONERY AND THE SUPERMARKET BARCODE LABEL PRINTING SURFACE PLANNER CUM THICKNESS PLANNER WITH CIRCULAR SAW MATERIAL-CI CAST IRON, PACKAGING SIZE- 13 INCH MODEL NAME/NUMBER- HR-750 OR HR-3A, NO LOAD SPEED 	
PRODUCT DESCRIPTION-THE FLEXO LABEL PRINTING MACHINE IS DESIGNED TO PRINT VARIOUS KINDS OF LABEL, STICKER, TRADEMARK, WHICH IS WIDELY USED IN THE AREA OF CLOTHES TRADEMARK, ELECTRONICS, TOYS, GIFTS, STATIONERY AND THE SUPERMARKET BARCODE LABEL PRINTING30SURFACE PLANNER CUM THICKNESS PLANNER WITH CIRCULAR SAWUSAGE/APPLICATION -WOOD, POWER-3 TO 5 HP, MACHINE CAPACITY- HEAVY DUTY WORK, FEEDING SPEED- 1440 RPM, MATERIAL-CI CAST IRON, PACKAGING SIZE- 13 INCH31DEWALT BISCUIT JOINER KIT, MODEL NAME/NUMBER- HR-750 OR HR-3A, NO LOAD SPEED	
AddressMachine is designed to print various kinds of label, Sticker, trademark, which is widely used in the area OF clothes trademark, electronics, toys, gifts, Stationery and the supermarket barcode label PRINTING30SURFACE PLANNER CUM THICKNESS PLANNER WITH CIRCULAR SAWUSAGE/APPLICATION -WOOD, POWER-3 TO 5 HP, MACHINE CAPACITY- HEAVY DUTY WORK, FEEDING SPEED- 1440 RPM, MATERIAL-CI CAST IRON, PACKAGING SIZE- 13 INCH31DEWALT BISCUIT JOINER KIT, MODEL NAME/NUMBER- HR-750 OR HR-3A, NO LOAD SPEED	
STICKER, TRADEMARK, WHICH IS WIDELY USED IN THE AREAOF CLOTHES TRADEMARK, ELECTRONICS, TOYS, GIFTS, STATIONERY AND THE SUPERMARKET BARCODE LABEL PRINTING30SURFACE PLANNER CUM THICKNESS PLANNER WITH CIRCULAR SAWUSAGE/APPLICATION -WOOD, POWER-3 TO 5 HP, MACHINE CAPACITY- HEAVY DUTY WORK, FEEDING SPEED- 1440 RPM, MATERIAL-CI CAST IRON, PACKAGING SIZE- 13 INCH31DEWALT BISCUIT JOINER KIT, MODEL NAME/NUMBER- HR-750 OR HR-3A, NO LOAD SPEED	
30 SURFACE PLANNER CUM OF CLOTHES TRADEMARK, ELECTRONICS, TOYS, GIFTS, STATIONERY AND THE SUPERMARKET BARCODE LABEL PRINTING 30 SURFACE PLANNER CUM USAGE/APPLICATION -WOOD, POWER-3 TO 5 HP, MACHINE CAPACITY- HEAVY DUTY WORK, FEEDING SPEED- 1440 RPM, MATERIAL-CI CAST IRON, PACKAGING SIZE- 13 INCH 31 DEWALT BISCUIT JOINER KIT, MODEL NAME/NUMBER- HR-750 OR HR-3A, NO LOAD SPEED	
30 SURFACE PLANNER CUM USAGE/APPLICATION –WOOD, POWER-3 TO 5 HP, MACHINE 30 FILCKNESS PLANNER WITH CAPACITY- HEAVY DUTY WORK, FEEDING SPEED- 1440 RPM, 31 DEWALT BISCUIT JOINER KIT, MODEL NAME/NUMBER- HR-750 OR HR-3A, NO LOAD SPEED	
Image: subscript of the state of the stat	
30SURFACE PLANNER CUMUSAGE/APPLICATION –WOOD, POWER-3 TO 5 HP, MACHINETHICKNESS PLANNER WITH CIRCULAR SAWCAPACITY- HEAVY DUTY WORK, FEEDING SPEED- 1440 RPM, MATERIAL-CI CAST IRON, PACKAGING SIZE- 13 INCH31DEWALT BISCUIT JOINER KIT, MODEL NAME/NUMBER- HR-750 OR HR-3A, NO LOAD SPEED	
THICKNESS PLANNER WITH CIRCULAR SAWCAPACITY- HEAVY DUTY WORK, FEEDING SPEED- 1440 RPM, MATERIAL-CI CAST IRON, PACKAGING SIZE- 13 INCH31DEWALT BISCUIT JOINER KIT, MODEL NAME/NUMBER- HR-750 OR HR-3A, NO LOAD SPEED	2
CIRCULAR SAWMATERIAL-CI CAST IRON, PACKAGING SIZE- 13 INCH31DEWALT BISCUIT JOINER KIT,MODEL NAME/NUMBER- HR-750 OR HR-3A, NO LOAD SPEED	2
31 DEWALT BISCUIT JOINER KIT , MODEL NAME/NUMBER- HR-750 OR HR-3A, NO LOAD SPEED	
	2
6.5-A (IN PDM), 9000 WAPPANTY, 1 YEAP, PERATING DEPTH (IN	2
(IN REW) - 5000 WARRANT - I TEAR, REDATING DEFTI (IN	
MM)-75MM,	
ITEM WEIGHT (IN KGS)-650, POWER CONSUMPTION (IN	
WATT)-5.5 KW OR 3KW, MINIMUM ORDER QUANTITY-1	10
, , , ,	10
CAPACITY-	
50KG-300 KG,FRAME MATERIAL-STEEL, SURFACE	
TREATMENT POLISHED, HEIGHT-1828MM	
	1
MACHINE WORK,	-
MATERIAL-IRON, AUTOMATION GRADE-MANUAL, COLOR-	-
PURPLE	-
	-
BIT SET FOR WOOD CARVING TOLERANCE- 0.02 MM, SET CONTAINS-12 PIECES, MATERIAL-	10

		MILD STEEL	
35	WOODEN POLISH MACHINE	AUTOMATION GRADE- AUTOMATIC, MIXING RATIO- 1 RATIO	1
00		1, PRESSURE RATIO- 75 RATIO 1, MAX AIR INLET PRESSURE-	-
		6 KG/CM2,	
36	12.5 PORTABLE PLANER	USAGE/APPLICATION- WOOD WORKING, MATERIAL- MILD	1
	THICKNESER 317MM	STEEL, FEEDING SPEED- 2500 RPM, BRAND- MACHINERY,	-
		AUTOMATION GRADE- SEMI AUTO., MOTOR POWER- 3 HP,	
37	SOLAR SET FOR CFC, 20	SOLAR SET FOR CFC , 20 KW, POWER GRID ON LINE WITH	1
0.	KW, POWER GRID	FITTING	-
38	WEIGHING MACHINE SMALL	INDICATOR- 3 BIG LED, POWER- 6 V, 4 AH RECHARGEABLE	2
	ELECTRIC 1 TAN	SMF BATTERY. INTERFACE-RS 232, RESOLUTIN- 24 BIT ADC,	
		DISPLAY- RED BRIGHT LED DISPLAY.	
39	SAFETY TOOLS (SHOES, HELMET,	SAFETY TOOLS (SHOES, HELMET, GLUBS, GOGGLE, MASK,	50
	GLUBS, GOGGLE, MASK, ETC)	ETC)	
40	DRILL MACHINE	MAGNET GRADE- ELECTRO MAGNET, TWIST DRILL	1
		CAPACITY- 23MM, ITEM WEIGHT (IN KGS)- 20 KG, REQUIRE	
		DRILL BITS ALSO-REQUIRE CORE CUTTER ALSO, IS IT	
		VARIABLE SPEED- VARIABLE SPEED,	
41	ROUTER TABLE	TABLE SIZE- 18"X20", HEIGHT- 31", VOLTAGE- 230 V,	1
		FREQUENCY- 50 HZ, SPEED- 18000 RMP, ROUTER CAPACITY-	
		8 MM, 12 MM, MO. NUMBER- RT-12,	
42	TOOLKIT TO ARTISANS	TOOLS AVAILABLE- SPANNER SETS, ALLEN KEYS,	300
		SCREWDRIVER SETS AND OTHER HAND TOOLS,	
		CUSTOMIZATION- NO, NO. OF PIECES- STARTING FROM	
		24PCS PER SET, DRIVE SIZE-1/4",3/8",1/2", 3/4",1", TYPE OF	
		PRODUCT-HEAVY DUTY HAND TOOLS,	
43	CARPENTER TOOLS BITS PAI	USAGE/APPLICATION-CARPENTER USE, PACKAGING-BAG,	20
		COUNTRY OF ORIGIN- MADE IN INDIA, SET CONTAIN-1 INCH	
		TAPE, GLUE SPREADER, 2 PEN, 2 CARPENTER PENCIL, 1 MICA	
		CUTTER	
44	AUTOMATIC EDGE BENDER	MACHINE TYPE- EDGE BANDER, POWER SUPPLY- 440	1
	MACHINE	AC, BRAND-SIDDHTECH INDUSTRY, COUNTRY OF ORIGIN-	
		MADE IN INDIA, AUTOMATION GRADE- AUTOMATIC, EDGE	
		BELT THICKNESS- 3 MM	
45	VERNIER CALIPER	TYPE- HAND MEASURING TOOLS, MATERIAL-HARDENED	5
	MEASUREMENT	STAINLESS STEE, ACCURACY- +/-0.04MM	
46	COLD PRESS MACHINE 2	AUTOMATION GRADE- AUTOMATICPHASE- 3 PHASE,	1
	CYLINDER	VOLTAGE- 440V, WEIGHT- APPROX 2600 KG, CYLINDER	
		STROKE- 1000 MM, PLATE DIMENSION- 1300 X 2500 MM,	
		LIFTING SPEED- 180 MM/MIN, TOTAL POWER- 5 HP,	
		OVERALL DIMENSIONS-2910 X 1260 X 2500 MM	
47	MULTIBORING HEAD	MOTOR POWER – 1.5 HP, PNEUMATIC PRESSURE- 7 BAR,	1
		SPINDLE HEAD VERTICAL AND HORIZONTAL- PNEUMATIC,	
		MAXIMUM DISTANCE BETWEEN CENTRE- 32MM	
48	DUST COLLECTOR DOUBLE BAG	WEIGHT- 50KG, VOLTAGE- 380V, MOTOR POWER/	2
48	DUST COLLECTOR DOUBLE BAG	WEIGHT- 50KG, VOLTAGE- 380V, MOTOR POWER/ CAPACITY- 3 HP, NUMBER OF BAG- SINGLE BAG, EFFICIENCY-	2

49	STABILIZER 25 KW/ ONLINE UPS	STABILIZER 25 KW/ ONLINE UPS	1
50	COMPUTER SYSTEM WITH	HP 20-C416IL DESKTOP (CELERON DUAL CORE/ 4GB/ 500	2
	ACCESSORIES	GB/ FREE DOS) WITH CNC ROUTER SOFTWARE	
51	WOOD PRODUCT PACKAGING	BOX CAPACITY- 501-1000 KG, 1000-2000 KG, MATERIAL	1
		THICKNESS- 16-25 MM, WIDTH- 31-40 IN, 41-50 IN, HEIGHT-	
		41-50 IN, LENGTH 31-40 IN, 41-50 IN, LOCATION	
		PREFERENCE- LOCAL AREA	
52	FIRE SAFETY EQUIPMENT &	TYPE- CONVENTIONAL, MATERIAL- MILD STEEL, CAPACITY-	1
	FITTING	ALL, USAGE/APPLICATION- INDUSTRIAL, BRAND- SAFE FIRE ,	
		PADMINI	
53	PORTABLE TABLE SAW	CUTTING BLADE SIZE (IN INCH) -12 INCH, NO LOAD SPEED (IN	1
		RPM)- 2800 RPM, COUNTRY OF ORIGIN- MADE IN INDIA	
54	DRILL LAMELLO ZETA P2	NAME/NUMBER- P2 ZETA, TYPE OF POWER TOOL- DRILL,	5
	PROFILE BISCUIT JOINERY	BRAND LAMELLO, POWER CONSUMPTION- 1050 W,	
		MATERIAL- MS, NO LOAD SPEED (RPM)- 9000 RPM	
55	305MM COMPOUND SLIDE	POWER CONSUMPTION- 1600 W, WARRANTY- 3 YEAR,	2
	MITRE SAW WITH VARIABLE	USAGE/ APPLICATION-CUTTING, AUTOMATION- SEMI	
	SPEED	AUTOMATIC, SIZE- 305 MM	
56	1350W, 185MM, COMPACT	CUTTING ANGLE- 45 DEGREE,90 DEGREE, USAGE/	2
	CIRCULAR SAW WITH DT1151	APPLICATION- METAL CUTTING, WEIGHT- 40 KG, MAXIMUM	
	WHEEL	BLADE SIZE- 225 MM, BLADE REVOLUTION SPEED- 52 RPM	
57	54V XR FLEXVOLT CHAIN SAW	ITEM DIMENSIONS LXWXH- 40 X 40 X 40 CENTIMETERS,	2
	40CM	POWER SOURCE- CORDLESS-ELECTRIC, ITEM WEIGHT- 5	
		KILOGRAMS	
58	XR 54V CORDLESS 67MM DOC	PRODUCT: XR CORDLESS DOC CIRCULAR SAW TSTAK,	2
	CIRCULAR SAW TSTAK	VOLTAGE- 54 V	
59	ELECTRIC CONECTION	ELECTRIC CONECTION 10 KV WITH VIDDUT DEPORTMENT	1
60	CFC SUPPORTING EQUIPMENT	CELLING FAN- 30, AC-2, COOLER FAN-2	1
61	INVERTER SET	INVERTER SET WITH 200 MAH BATTARY	2
	C C TV CAMERA	C C TV CAMERA 16 CHANEL DVR	2
62	18V XR JIGSAW BARE TSTAK	STROKE LENGTH: 25.4MM, STROKES PER MIN: 0 - 3000SPM,	2
	(BARE)	BATTERY TYPE: XR LI-ION, WEIGHT: 3KG, VOLTAGE: 18V	
63	HEAVY DUTY MITER SAW STAND	HEAVY DUTY MITER SAW STAND	2
64	1100W PISTOL PERCUSSION	POWER SOURCE BRAND-BATTERY POWERED, SPEED- 1500	2
	DRILL, 1100W	RPM, COLOR- BRUSHLESS DRILL GREEN, VOLTAGE- 20 VOLTS	
65	3/4" HEAVY DUTY IMPACT	ITEM DIMENSIONS LXWXH- 9.94 X 4.25 X 10.63 INCHES,	2
	WRENCH, 440NM	MATERIAL- PLASTIC, METAL, RUBBER, HEAD STYLE- FIXED	
		SQUARE, ITEM TORQUE- 700 FOOT POUNDS,	
66	1800W 10 INCH TABLE SAW	BLADE LENGTH- 10 INCHES, ITEM DIMENSIONS LXWXH- 27 X	2
		32.5 X 13 INCHES, SPEED- 3650 RPM, NUMBER OF TEETH- 50	
67	BRUSHLESS 18V - 2KG SDS+	POWER SOURCE BRAND - BATTERY POWERED, VOLTAGE- 20	2
	HAMMER	VOLTS, ITEM DIMENSIONS LXWXH- 13 X 4.2 X 8.6 INCHES,	
		MAXIMUM CHUCK SIZE- 20 MILLIMETERS,	
	Noto		

Note:-

• All MACHINES INSTALLATION & COMMISSIONING CHARGE INCLUDED.

• GUARANTEE & WARRANTY PERIOD: - 2+1 TOTAL 3 YEAR (* 2 YEAR FULL GUARANTEE * 1 YEAR CONDITIONAL WARRANTY) FOR ALL MACHINERY AND EQUIPMENTS.

Annexure II

FORMAT FOR MANUFACTURER'S AUTHORISATION LETTER TO AGENT (on letter head)

Ref.No.

Date:

То,
Secretary,
Vishwas Sansthan
Raebareli U.P,

Sub.: Authorization Letter.

Dear Sir,

updates for up-gradation / maintains / repairing / servicing of the supplied goods manufactured by us, during the warranty period. In case duties of the Indian agent / distributor are changed or agent / distributor is changed it shall be obligatory on us to automatically transfer all the duties and obligations to the new Indian Agent failing which we will ipso-facto become liable for all acts of commission or omission on the part of new Indian Agent /distributor.

Yours faithfully, [Name & Signature] for and on behalf of M/s._____[Name of manufacturer]

Note: This letter of authorization should be on the letterhead of the manufacturing concern and should be signed by a person competent and having the power of attorney to bind the manufacturer. A copy of notarized power of attorney should also be furnished. Only manufacturer(s) or their sole authorized distributor / agent are eligible to bid. Authorization letter in the prescribed format (Annexure – II) from Original Equipment Manufacturer (OEM) in favor of authorized Agent to bid / negotiate / conclude the order against this tender, must be enclosed with technical bid.

DECLARATION SHEET

We, ______hereby certify that all the information and data furnished by our organization with regard to this tender specification are true and complete to the best of our knowledge. I have gone through the specification, conditions and stipulations in details and agree to comply with the requirements and intent of specification. This is certified that our organization has been authorized (Copy attached) by the to participate in Tender. We further certified that our organization meets all the conditions of eligibility criteria laid down in this tender document. Moreover, has agreed to support on regular basis with technology/ product updates and extend support for the warranty. The prices quoted in the financial bids are subsidized due to academic discount given Vishwas Sansthan Raebareli, for Craft and Decorative Goods Cluster Raebareli U.P,

Phone	
Fax	
E-mail	
Contact Person Name	
Mobile Number	
GST Number	
Kindly provide bank details of the bidder in the	
following format: Name of the Bank	
Account Number	

(**Signature of the Tender**) Name:

Seal of the Company

List of Organization/Deptt.

List of Organizations/Dept. for whom the Bidder has undertaken such work during last three years (must be supported with work orders)					
Name of the organization	Name of Contact Person	Contact No.			

Signature of Bidder

Na	me:
Designation:	
OrganizationNa	ame:
Contact No.:	

Certificate of Guarantee/Warranty (on letter head)

I / We certify that the guarantee / warranty shall be given for a period of Three (03) years starting from the date of the satisfactory installation, commissioning and handing over of the equipment and the work completed under the contract. During the guarantee / warranty period, I / we shall provide the "after sale service" and the replacement of defective / or any part(s) of the equipment or rectification of defects of work of the equipment will be free of cost. The replacement of the parts shall be arranged by us, at our own cost and responsibility. We undertake that the above guarantee / warranty shall begin only from the date of successful installation. The benefit of change in dates of the guarantee / warranty period shall be in the interest of the user / your organization.

I / We shall try to repair the equipment at Institute premises. However, in case it is not possible to repair the equipment at Institute premises, we will take out the equipment to our site on our own expenses. We shall take the entire responsibility for the safe custody and transportation of the equipment taken out for repairs till the equipment is rehabilitated to the Institute after repair. If any loss of equipment occurred during our custody, we will restore it / compensate to Institute for such losses.

I / We guarantee that in case we fail to carry out the maintenance work within the stipulated period, the Institute reserves the right to get the maintenance work carried out at our risk, cost and responsibility after informing us. All the expenses including excess payment for repairs / maintenance shall be adjusted against the Performance Bank Guarantee. In case the expenses exceed the amount of the Performance Bank Guarantee, the same shall be recoverable from us with / without interest in accordance with the circumstances.

I / We undertake to perform calibration after every major repair / breakdown / taking the equipment out for repair from the Institute premises. I / We guarantee that we will supply spare parts, if and when required on agreed basis for an agreed price. The agreed basis could be an agreed discount on the published catalogue price.

I / We guarantee to the effect that before going out of production of the spare parts, we will give the adequate advance notice to Institute so that Institute may undertake to procure the balance of the life time requirements of the spare parts.

Annexure VI

MANDATE FORM FOR ELECTRONIC FUND TRANSFER/RTGS TRANSFER

Date:

To,

Craft and Decorative Goods Cluster Raebareli U.P,

Sub: Authorization for release of payment / dues from Craft and Decorative Goods Cluster Raebareli U.P, through electronic Fund Transfer/RTGS Transfer.

1. Name of the Party/Firm/Company/Institute:

2. Address of the Party:

 City Raibareli
 Pin Code

 E-MailID
 Mob No:

Permanent Account Number_____

3	.Par	tic	ul	ars	of	F	Bai	nk:	
2	.1 ui	110	un	uis	01	-	Jui	III.	

Bank Name:	Branch Name:	
Branch Place:	Branch City:	
PIN Code:	Branch Code:	
MICR No.:		

(9 Digit number appearing on the MICR Bank of the Cheque supplied by the Bank, Please attach a Xerox copy of a cheque of your bank for ensuring accuracy of the bank name , branch name and code number)

IFS Code															
Account Type	Savi	Saving			Current				Cash Credit						
Account Number															

DECLARATION

I hereby declare that the particulars given above are correct and complete. If any transaction delayed and not effected for reasons of incomplete or incorrect information I shall not hold The Board of Directors **Craft and Decorative Goods Cluster Raebareli U.P.**, responsible. I also undertake to advise any change in the particulars of my account to facilitate updating of records for purpose of credit of amount through NEFT/RTGS Transfer.

Place:	
Date:	

Signature & Seal of the Authorized Signatory of the Party

Certified that particulars furnished above are correct as per our records

Bankers Stamp: Date:_____

Signature of the Authorized Official from the Bank

N.B: Please fill in the information in CAPITAL LETTERS, computer typed; please TICK wherever it is applicable.

Price Bid

To, Vishwas Sansthan, Bhagwant Kaur Colony, Canal Road, Raebareli Wa ara Providing below Machinery I

We are Providing below Machinery Proposed Price for Wooden Craft and Decorative Goods Cluster Raebareli U.P

<u></u>				DDIGE	TOTA
SL. NO.	NAME OF MACHINERY	SPECIFICATION	QTY	PRICE	TOTAL
1	CNC ENGRAVING & CUTTING	COMMAND CODE: G CODE JOB, MATERIAL: WOOD , MDF,	2		
	MACHINE – WITH ROTERY	WPC, OPERATION MODE: AUTOMATIC, WORKING			
		1300X2500X200 MM, PRECISION: 0.005MM IN 300, MM2			
		WORKING AREA, SPINDLE: 7.5 KW WATER COOL HHD			
		TAIWAN MAKE, RPM -24000, SOFTWARE: ART CAM			
2	VACUUM MEMBRANE PRESS	WORKING DIMENSION-2550X1150(1300)X50MM, MAX.	1		
	MACHINE DOUBLE TROLLEY	WORKING HEIGHT-50MM, WORKING SPEED2-3 MIN/1			
		DOOR MAX. WORKING HEIGHT, TOTAL MOTOR POWER-			
		20KW			
3	SUPPORTING EQUIPMENT &	HAMMERS, DRILL BITS, RINCH FOR ALL NUMBERS, WOOD	1		
	MACHINERY TOOLS	TURNING TOOLS, JACK PLAN BLADS, WOOD WORKING VICE,			
4	CNC ROTERY SPACIAL	CNC ROTARY DOUBLE HEAD MACHINE, WORKING AREA -	2		
	DECORATIV GOODS MAKING	100, MM CHUCK DIA X 600, SPINDLE – 2.8 KW, WATER COOL			
		(DOUBLE HEAD) RMP -18,000 CONTROLLER –DSP, MOTOR			
		DRIVE – SARVO			
5	CNC WOOD LATHE WITH	MODEL NAME/NUMBER 640, MAXIMUM TURNING	1		
	MILLING	DIAMETER 180, MAXIMUM TURNING LENGTH 250, SPINDLE			
		SIZE 32, SPINDLE MOTOR POWER FANUC 4.5KW			
		CONTINUOUS			
6	CNC LASER MACHINE - CO2	ENGRAVING SPEED -0-24000 MM / MIN, REPOSITION	1		
		ACCURACY -+1,-1 MM, WORKING VOLATE -110-220 V, 50-60			
		HZ, WORKING TEMP0-45, WORKING HUMIDITY -8-95%,			
		MINIMUM LATTER SIZE -1X1 MM, SUPPORTED FILE –			
		BMP,HPGL,PLT,DST,DXP&AI, DRIVING SYSTEM-STEPPER,			
		LASER TUBE COOLING TYPE–WATER COOLING, LASER TUBE			
		TYPE-SEALED, CO2 GLASS LASER TUBE, WEIGHT -500 KG			
7	AUTO DOUBLE SURFACE PLANER	MAXIMUM WIDTH OF CUT:400MM(16") MAXIMUM	1		
		THICKNESS OF CUT:200MM(8") MINIMUM THICKNESS OF			
		CUT:8MM MINIMUM LENGTH OF CUT:250MM KNIFE			
		SIZES(TCT):15X15X2.5MM CUTTERHEAD DIAMETER:101MM			
		CUTTERHEAD SPEED: 5000RPM VARIABLE FEED SPEED :7-24			
		M/MIN DUST HOOD OUTLET DIAMETER:5"X2 TABLE			
8	ACE ROUTER	PART NUMBER 060326CA00, POWER INPUT 1400 W,	2		
		POWER OUTPUT 650 W, TOOLHOLDER 6 MM			
9	ROUTER MACHINE	REVERSING SWITCH –YES, DRILLING DIAMETER-12 MM,	2		
	(PLUNGE TYPE)	PLUNGE DEPTH-50 MM, POWER INPUT-1300 WATT, NO			
		LOAD SPEED-15000-30000 RPM			
10	ROUTER BIT SET	SHANK DIAMETER: 8 MM, SET CONTAINS: 12 PIECES,	20		
			1		

		MATERIAL: MILD STEEL, PACKAGING TYPE: BOX, TENSILE	T		
		STRENGTH: 400 MPA			
11	6.8MM TRIMMER FOR WOOD	NO LOAD SPEED (RPM) 10,000-30,000, ITEM WEIGHT (KGS)	2		
ΤT		1.8KG, CONTINUOUS RATING INPUT -710W, CAPACITY-	2		
		COLLET 6MM, 8MM OR 1/4, 3/8 INCH, SOUND POWER			
40		LEVEL- 93 DB(A)	2		
12	ORBITAL SANDER	OWER CONSUMPTION .24 HP, DISC DIAMETER- 5, SANDER	2		
		TYPE- PNEUMATIC			
13	RANDOM ORBITAL AIR SANDERS	NO LOAD SPEED (RPM) 0.15 RPM, MO. NUMBER- 4151 HL2	2		
		AIR INLET (NPT) 1/4", SOUND POWER (DB) 81.6 DB, LENGTH			
		(INCH) 10 INCH, CCN NO22041198 ,TORQUE-150 NM,			
		SPINDLE THREAD-5/16" - 24 NM, BPM-12000, HOSE			
		DIAMETER- 8MM			
14	SCREW DRIVER SET	MATERIAL –IRON, TYPES OF SCREWDRIVER- ALL TYPES OF	50		
		SCREW OPENING, MODEL NAME/NUMBER- SCREWDRIVER			
		31, BRAND PROSCO, USAGE/APPLICATION- PERSONAL ,			
		PACKAGING TYPE-PLASTIC BOX, COLOR, MULTI COLOR,			
		QUANTITY PER PACK- 31 IN 1 SCREWDRIVER			
15	ELECTRICAL SCREW DRIVER SET	TORQUE (NEWTON METRE)5, .2 TO 45, POWER	10		
		CONSUMPTION (WATT) 50000, NO LOAD SPEED (RPM) 750			
		TO 2000, ITEM WEIGHT (KGS) .500 TO .700 KG,			
		APPLICATIONS AUTOMOBILE, ELECTRIC SCREW DIA- 1.2 TO			
		6.0			
16	SPRING BALANCER	MATERIAL- METAL / FIBER, CAPACITY (KG) 0.5 TO 500,	5		
		COLOR YELLOW AND BLACK , WEIGHT (KG) 0.5,			
		USAGE/APPLICATION- WEIGHT BALANCING			
17	WOOD MOUNDING MACHINE	AUTOMATION GRADE FULLY AUTOMATIC, MAX TURNING	1		
	POST FORMING	DIAMETER 20-300 MM, MAX TURNING LENGTH 100-1500			
		MM, NUMBER OF AXIS SINGLE AXIS, DOUBLE LATHE BLADE			
18	WOOD POLISHER MACHINE	USAGE/APPLICATION – WOOD, PACKAGING SIZE-10LTR,	1		
		QUANTITY PER PACK-5 LTR, STATE/FORM –SOLVENT,			
		PACKAGING TYPE- CANS,			
19	PENAL FLOWER ROUTER	NO LOAD SPEED-0 TO 450 / 1300 / 2000 RPM, VOLTAGE-18	2		
		V, BATTERY CHEMISTRY LI-ION, WEIGHT-2.2 KG, BATTERY			
		CAPACITY-5.0 AH, MAXIMUM TORQUE (HARD) 95 NM			
20	ANGLE GRINDER	NO LOAD SPEED-10000 RPM, POWER CONSUMPTION -1000	2		
		W, USAGE/APPLICATION –INDUSTRIAL, TYPE OF POWER			
		TOOL -ANGLE GRINDER			
21	ELECTRIC FITTING WITH PANEL	ELECTRIC FITTING WITH PANEL FOR EVERY MACHINERY	1		
		CONTROLER			
22	HAND TOOL KITS	NO. OF PIECES (KIT) 53 , TOOLS AVAILABLE (KIT) -RATCHET	10		
		PIPE THREADER, PIPE WRENCH, HACKSAW FRAME FITTED			
		BLADE, SCREW DRIVER, PRODUCT SPECIFICATION:-			
		CONTAINS : IT CONTAINS 58 ARTICLES (ONE PC. EACH OF:			
		RATCHET PIPE THREADER INCH -1 INCH - PIPE WRENCH G.P			
		8 INCH, 10 INCH, 12 INCH, 14 INCH, 18 INCH, 24 INCH-			
		HACKSAW FRAME FITTED BLADE 12 INCH-SCREW DRIVER			
		(ENGG. PATTERN) 10X250MM, NO LOAD SPEED-4800 RPM			
23	WOOD CUTTING SAW MACHINE	MAX. DEPTH OF CUT AT 90º: 77 MM,MAX. DEPTH OF CUT AT	1		1
			<u> </u>	l	1

		45º: 55 MM		
24	JIGSAW PROFESSIONAL MACHINE 701W JIGSAW, 0- 3100SPM, 26MM STROKE LENGTH, 2.6KGS	USAGE/APPLICATION – CONSTRUCTION, MODEL NAME/NUMBER -GST 85 PBE, WARRANTY-3 YEAR, NO LOAD SPEED-3100 RPM, POWER CONSUMPTION-580 W, MAX. DRILL DIAMETER-85 MM, WEIGHT2.4 KG	2	
25	BELT SANDER MACHINE	WIDE BELT SANDER MODEL K-650-R-RP [SANDING MAX - SELECT SERIES, COMPLETE WITH FOLLOWING FEATURES : -• WORKING WIDTH: 650MM,• WITH ANTI-KICK-BACK DEVICE	2	
26	SPRAY MACHINE WITH COMPRESSOR	AUTOMATION GRADE -SEMI-AUTOMATIC, PRODUCT TYPE - PAINT SPRAYER, USAGE/APPLICATION –PAINT, WEIGHT-15 KG, MATERIAL PAINT, VOLTAGE-220 V, POWER-220W, GRADE- SEMI AUTO, PRESSURE-3300 PSI, CAPACITY-5000 SF/PER DAY	1	
27	SPINDLE MOLDING MACHINE	AUTOMATION GRADE- SEMI-AUTOMATIC, USAGE/APPLICATION- DESIGNING, SPINDLE SPEED- 6000/8000, MATERIAL -CAST IRON, WEIGHT-550 KG,	1	
28	POWER DRILL	MACHINE TYPE- AUTOMATIC, POWER CONSUMPTION-2 HP, MATERIAL- STEEL, CAPACITY -DIA 50MM DRILL HOLE, NUMBER OF SHAFT -MULTI SPINDLE AVAILABLE, USAGE/APPLICATION -METAL DRILLING	1	
29	LABEL PRINTING MACHINE	VOLTAGE-1 HP AC VOLTS, POWER SOURCE ELECTRIC, CUTTING SPEED-MAX SPEED 5000 PER HOURS, AUTOMATION GRADE-AUTOMATIC, WEIGHT-MACHINE WEIGHT 600 KG SIZE-M/C SIZE (LXWXH) 75"X36"X55" PRODUCT DESCRIPTION-THE FLEXO LABEL PRINTING MACHINE IS DESIGNED TO PRINT VARIOUS KINDS OF LABEL, STICKER, TRADEMARK, WHICH IS WIDELY USED IN THE AREA OF CLOTHES TRADEMARK, ELECTRONICS, TOYS, GIFTS, STATIONERY AND THE SUPERMARKET BARCODE LABEL PRINTING	1	
30	SURFACE PLANNER CUM THICKNESS PLANNER WITH CIRCULAR SAW	USAGE/APPLICATION –WOOD, POWER-3 TO 5 HP, MACHINE CAPACITY- HEAVY DUTY WORK, FEEDING SPEED- 1440 RPM, MATERIAL-CI CAST IRON, PACKAGING SIZE- 13 INCH	2	
31	DEWALT BISCUIT JOINER KIT, 6.5-A	MODEL NAME/NUMBER- HR-750 OR HR-3A, NO LOAD SPEED (IN RPM)- 9000 WARRANTY-1 YEAR, REBATING DEPTH (IN MM)-75MM, ITEM WEIGHT (IN KGS)-650, POWER CONSUMPTION (IN WATT)-5.5 KW OR 3KW, MINIMUM ORDER QUANTITY-1	2	
32	RAK FOR FINESS GOOD DISPLY	TYPE-GLASS DISPLAY RACKS, MATERIAL-GLASS,LOAD CAPACITY- 50KG-300 KG,FRAME MATERIAL-STEEL, SURFACE TREATMENT POLISHED, HEIGHT-1828MM	10	
33	HEAVY SPINDLE MOULDER MACHINE	CUTTING BLADE SIZE-12 INCH, USAGE/APPLICATION-WOOD WORK, MATERIAL-IRON, AUTOMATION GRADE-MANUAL, COLOR- PURPLE	1	
34	HIGH SPEED STEEL BURR DRILL BIT SET FOR WOOD CARVING	SHANK DIAMETER-8 MM, PACKAGING TYPE-BOX, TOLERANCE- 0.02 MM, SET CONTAINS-12 PIECES, MATERIAL-MILD STEEL	10	

35	WOODEN POLISH MACHINE	AUTOMATION GRADE- AUTOMATIC,	1	
55	WOODEN POLISH MACHINE	MIXING RATIO- 1 RATIO 1, PRESSURE RATIO- 75 RATIO 1,		
26		MAX AIR INLET PRESSURE- 6 KG/CM2,	1	
36	12.5 PORTABLE PLANER	USAGE/APPLICATION- WOOD WORKING, MATERIAL- MILD	1	
	THICKNESER 317MM	STEEL, FEEDING SPEED- 2500 RPM, BRAND- MACHINERY,		
		AUTOMATION GRADE- SEMI AUTOMATIC, MOTOR POWER-		
		3 HP,		
37	SOLAR SET FOR CFC , 20	SOLAR SET FOR CFC , 20 KW, POWER GRID ON LINE WITH	1	
	KW, POWER GRID	FITTING		
38	WEIGHING MACHINE SMALL	INDICATOR- 3 BIG LED, POWER- 6 V, 4 AH RECHARGEABLE	2	
	ELECTRIC 1 TAN	SMF BATTERY. INTERFACE-RS 232, RESOLUTIN- 24 BIT ADC,		
		DISPLAY- RED BRIGHT LED DISPLAY.		
39	SAFETY TOOLS (SHOES, HELMET,	SAFETY TOOLS (SHOES, HELMET, GLUBS, GOGGLE, MASK,	50	
	GLUBS, GOGGLE, MASK, ETC)	ETC)		
40	DRILL MACHINE	MAGNET GRADE- ELECTRO MAGNET, TWIST DRILL	1	
		CAPACITY- 23MM, ITEM WEIGHT (IN KGS)- 20 KG, REQUIRE		
		DRILL BITS ALSO-REQUIRE CORE CUTTER ALSO, IS IT		
		VARIABLE SPEED- VARIABLE SPEED,		
41	ROUTER TABLE	TABLE SIZE- 18"X20", HEIGHT- 31", VOLTAGE- 230 V,	1	
		FREQUENCY- 50 HZ, SPEED- 18000 RMP, ROUTER CAPACITY-		
		8 MM, 12 MM, MO. NUMBER- RT-12,		
42	TOOLKIT TO ARTISANS	TOOLS AVAILABLE- SPANNER SETS, ALLEN KEYS,	300	
		SCREWDRIVER SETS AND OTHER HAND TOOLS,		
		CUSTOMIZATION- NO, NO. OF PIECES- STARTING FROM		
		24PCS PER SET, DRIVE SIZE-1/4",3/8",1/2", 3/4",1", TYPE OF		
		PRODUCT-HEAVY DUTY HAND TOOLS,		
43	CARPENTER TOOLS BITS PAI	USAGE/APPLICATION-CARPENTER USE, PACKAGING-BAG,	20	
		COUNTRY OF ORIGIN- MADE IN INDIA, SET CONTAIN-1 INCH		
		TAPE, GLUE SPREADER, 2 PEN, 2 CARPENTER PENCIL, 1 MICA		
		CUTTER		
44	AUTOMATIC EDGE BENDER	MACHINE TYPE- EDGE BANDER, POWER SUPPLY- 440	1	
	MACHINE	AC, BRAND-SIDDHTECH INDUSTRY, COUNTRY OF ORIGIN-		
		MADE IN INDIA, AUTOMATION GRADE- AUTOMATIC, EDGE		
		BELT THICKNESS- 3 MM		
45	VERNIER CALIPER	TYPE- HAND MEASURING TOOLS, MATERIAL-HARDENED	5	
	MEASUREMENT	STAINLESS STEE, ACCURACY- +/-0.04MM		
46	COLD PRESS MACHINE 2	AUTOMATION GRADE- AUTOMATICPHASE- 3 PHASE,	1	
	CYLINDER	VOLTAGE- 440V, WEIGHT- APPROX 2600 KG, CYLINDER		
		STROKE- 1000 MM, PLATE DIMENSION- 1300 X 2500 MM,		
		LIFTING SPEED- 180 MM/MIN, TOTAL POWER- 5 HP,		
		OVERALL DIMENSIONS-2910 X 1260 X 2500 MM		
47	MULTIBORING HEAD	MOTOR POWER – 1.5 HP, PNEUMATIC PRESSURE- 7 BAR,	1	
-		SPINDLE HEAD VERTICAL AND HORIZONTAL- PNEUMATIC,		
		MAXIMUM DISTANCE BETWEEN CENTRE- 32MM		
48	DUST COLLECTOR DOUBLE BAG	WEIGHT- 50KG, VOLTAGE- 380V, MOTOR POWER/	2	
40		CAPACITY- 3 HP, NUMBER OF BAG- SINGLE BAG, EFFICIENCY-	2	
		99.90%, FREQUENCY- 50 HZ		
49	STABILIZER 25 KW/ ONLINE UPS	STABILIZER 25 KW/ ONLINE UPS	1	
49 50	COMPUTER SYSTEM WITH	•	2	
50		HP 20-C416IL DESKTOP (CELERON DUAL CORE/ 4GB/ 500	2	

	ACCESSORIES	GB/ FREE DOS) WITH CNC ROUTER SOFTWARE		
51	WOOD PRODUCT PACKAGING	BOX CAPACITY- 501-1000 KG, 1000-2000 KG, MATERIAL THICKNESS- 16-25 MM, WIDTH- 31-40 IN, 41-50 IN, HEIGHT- 41-50 IN, LENGTH 31-40 IN, 41-50 IN, LOCATION PREFERENCE- LOCAL AREA	1	
52	FIRE SAFETY EQUIPMENT & FITTING	TYPE- CONVENTIONAL, MATERIAL- MILD STEEL, CAPACITY- ALL, USAGE/APPLICATION- INDUSTRIAL, BRAND- SAFE FIRE , PADMINI	1	
53	PORTABLE TABLE SAW	CUTTING BLADE SIZE (IN INCH) -12 INCH, NO LOAD SPEED (IN RPM)- 2800 RPM, COUNTRY OF ORIGIN- MADE IN INDIA	1	
54	DRILL LAMELLO ZETA P2 PROFILE BISCUIT JOINERY	NAME/NUMBER- P2 ZETA, TYPE OF POWER TOOL- DRILL, BRAND LAMELLO, POWER CONSUMPTION- 1050 W, MATERIAL- MS, NO LOAD SPEED (RPM)- 9000 RPM	5	
55	305MM COMPOUND SLIDE MITRE SAW WITH VARIABLE SPEED	POWER CONSUMPTION- 1600 W, WARRANTY- 3 YEAR, USAGE/ APPLICATION-CUTTING, AUTOMATION- SEMI AUTOMATIC, SIZE- 305 MM	2	
56	1350W, 185MM, COMPACT CIRCULAR SAW WITH DT1151 WHEEL	CUTTING ANGLE- 45 DEGREE,90 DEGREE, USAGE/ APPLICATION- METAL CUTTING, WEIGHT- 40 KG,MAXIMUM BLADE SIZE- 225 MM, BLADE REVOLUTION SPEED- 52 RPM	2	
57	54V XR FLEXVOLT CHAIN SAW 40CM	ITEM DIMENSIONS LXWXH- 40 X 40 X 40 CENTIMETERS, POWER SOURCE- CORDLESS-ELECTRIC, ITEM WEIGHT- 5 KILOGRAMS	2	
58	XR 54V CORDLESS 67MM DOC CIRCULAR SAW TSTAK	PRODUCT: XR CORDLESS DOC CIRCULAR SAW TSTAK, VOLTAGE- 54 V	2	
59	ELECTRIC CONECTION	ELECTRIC CONECTION 10 KV WITH VIDDUT DEPORTMENT	1	
60	CFC SUPPORTING EQUIPMENT	CELLING FAN- 30, AC-2, COOLER FAN-2	1	
61	INVERTER SET	INVERTER SET WITH 200 MAH BATTARY	2	
	C C TV CAMERA	C C TV CAMERA 16 CHANEL DVR	2	
62	18V XR JIGSAW BARE TSTAK (BARE)	STROKE LENGTH: 25.4MM, STROKES PER MIN: 0 - 3000SPM, BATTERY TYPE: XR LI-ION, WEIGHT: 3KG, VOLTAGE: 18V	2	
63	HEAVY DUTY MITER SAW STAND	HEAVY DUTY MITER SAW STAND	2	
64	1100W PISTOL PERCUSSION	POWER SOURCE BRAND-BATTERY POWERED, SPEED- 1500	2	
	DRILL, 1100W	RPM, COLOR- BRUSHLESS DRILL GREEN, VOLTAGE- 20 VOLTS		
65	3/4" HEAVY DUTY IMPACT	ITEM DIMENSIONS LXWXH- 9.94 X 4.25 X 10.63 INCHES,	2	
	WRENCH, 440NM	MATERIAL- PLASTIC, METAL, RUBBER, HEAD STYLE- FIXED SQUARE, ITEM TORQUE- 700 FOOT POUNDS,		
66	1800W 10 INCH TABLE SAW	BLADE LENGTH- 10 INCHES, ITEM DIMENSIONS LXWXH- 27 X 32.5 X 13 INCHES, SPEED- 3650 RPM, NUMBER OF TEETH- 50	2	
67	BRUSHLESS 18V - 2KG SDS+	POWER SOURCE BRAND - BATTERY POWERED, VOLTAGE- 20	2	
	HAMMER	VOLTS, ITEM DIMENSIONS LXWXH- 13 X 4.2 X 8.6 INCHES, MAXIMUM CHUCK SIZE- 20 MILLIMETERS,		
	TOTAL			

Note:-

- All MACHINES INSTALLATION & COMMISSIONING CHARGE INCLUDED.
- GUARANTEE & WARRANTY PERIOD: 2+1 TOTAL 3 YEAR (* 2 YEAR FULL GUARANTEE * 1 YEAR CONDITIONAL WARRANTY) FOR ALL MACHINERY AND EQUIPMENTS.