BID DOCUMENT FOR TENDERING

Bidder should read the tender document carefully. Submission of tender shall mean that the Bidder has read and understood all the terms and condition of the tender (including corrigendum issued if any, at later stage of publication of Tender) and agrees and binds himself/themselves to thesame.

Bidder must be submit 'TENDER ACCEPTANCE LETTER' with their signature and official seal

TENDER REF.NO.: Dated: 01/03/2021

(In communication, Please quote this number & date)

Tendering document of Supply,

Installation and Commissioning of Plant
and Machinery at Mushroom and Baby

Corn processing and Value addition

Cluster,

(Ministry of MSME Govt. of India)

at Gaya, Bihar

Section I

Microx Foundation, Gaya, Bihar

Email: prabhat@sumarth.org

TENDER REF.NO: Dated: 1/03/2021

(In communication, Please quote this number & date)

NOTICE INVITING TENDER

Bid Particulars	Details
Tender Reference no	
Tender Details.	Machinery With Specifications
	(As Per Technical Specifications attached in
	Annexure – I)
Last date and Time of receipt of Bid	21/03/2021 By 05:00 PM
Date and Time for Opening of Technical Bid	23/03/2021By 05:00 PM
Place of Tender submission	Chief Functionary
	House no703, Road No2C, New Colony
	Chhotki, Delha
	Microx Foundation, Gaya, Bihar
EMD	Rs. 50,000/-
Financial Bid opening	After finalization of first stage

Sealed Tender under Two cover System (Technical & Commercial) are invited on behalf of Microx Foundation, Gaya, Bihar by Chief Functionary (here in after called ,the Implementing Agency and / or the Purchaser") through of Microx Foundation, (Implementing Agency) for Items mentioned below as per Technical specifications given in the enclosed schedule **Section II Annexure -I**. These Items delivered / Installation and commissioning to be done at destination mentioned in this document.

SECTION II INSTRUCTIONS TO BIDDERS

A. INTRODUCTION

1. DEFINITIONS:

- a) "The Purchaser" means the of **Microx Foundation, Gaya, Bihar.** The Bidder" means the individual or firm who participates in this tender and submits its bid.
- b) "The Supplier" means the individual or firm supplying the goods under the contract.
- c) "The Goods" means all the equipment, machinery or other materials, which the Supplier is required to supply to the Purchaser under the contract.
- d) "The Advance Purchase Order" means the intention of Purchaser to place the Purchase Order on the bidder.
- e) "The Purchase Order" means the order placed by the Purchaser on the Supplier signed by the Purchaser including all attachments and appendices thereto and all documents incorporated by reference therein. The purchase order shall be deemed as "Contract" appearing in the document.
- f) "The Contract Price" means the price payable to the Supplier under the purchase order for the full and proper performance of its contractual obligations.
- g) "Validation" is a process through which the equipment / System is tested to ascertain its performance against set technical standards as per the requirements of the Cluster Outcomes.

2. SCOPE OF WORK

- a) The successful tenderer should undertake supply, erection and commissioning of the said machinery. The detailed specifications are given in Annexure-1.
- b) The successful tenderer should complete supply, erection, commissioning within 60 days from the date of receipt of Purchase Order.

3. MINIMUM ELIGIBILITY CRITERIA:

3.1. Pre-qualification criteria for intending bidders:

The tenderer shall be required to submit the Earnest Money Deposit (EMD) which is refundable. The demand drafts shall be drawn in favour of "Director, Microx Foundation, Gaya, Bihar," payable at Gaya, Bihar. The demand drafts for Earnest Money Deposit (EMD) must be enclosed in the envelope containing the technical bid.

4. INVITATION FOR TENDEROFFERS:

Tenderers are requested to submit Part-I and Part-II in a separate sealed cover. Part-I cover to be superscripted as "Part I – Technical Bid" and Part II cover to be superscripted as "Part II – Price Bid" respectively.

The BIDDERs are requested to give detailed tender in two Bids i.e.

- a. Part I: TechnicalBid.
- b. Part II: CommercialBid.

Technical Bid:

4.1 The envelope clearly marked as "Technical Bid-Envelope No.1" shall contain the all copies of originals documents:

Envelope – 1 (Following documents to be provided)			
S.No.	Documents	Content	
1.	Technical	Technical Compliance Sheet as per Annexure – I	
2.	Bid	Manufacturer's Authorization Letter as per	
		Annexure-II	
3.		Declaration Sheet as per Annexure – III	
4.		Reference Purchase Order copy. List of Organization/ Dept. as per	
		Annexure-IV	
5.		Certificate of Guarantee/Warranty (on letter head) – Annexure V	
6.		Mandate Form for Electronic Fund Transfer / RTGS Transfer as per	
		Annexure-VI	
7.		Scanned copy of EMD and it is required to submit the same in original	
		in a sealed envelope at the following address on or before closing date:	
		Microx Foundation, Gaya, House no703, Road No2C, New Colony Chhotki, Delha 823001	
8.		The tenderer shall submit the copy of the tender document and addenda	
		thereto, if any, with each page should be signed and stamped to confirm	
		the acceptance of the entire term & conditions of the tender	
9.		Financial statements with net profit, duly audited / certified by	
		Chartered Accountant (CA) of the last three financial years along with	
		the copies of Income Tax Return (ITR) must be enclosed with the	
		technical bid.	
10.		The tenderer viz. the Indian Agents and / or the foreign firms should	
		furnish a certificate that the rates quoted by the tenderer are not more	
		than those quoted to any other Institution in India or aboard during the	
		last one year, with supporting documents.	
	Envelope – 2		
S.No.	Documents	Content	
1.	Financial Bid	Price bid should be submitted as per - Annexure VII	

Bid documents should be submitted as per the above sequence with Index page and page

numbers (including technical literature). Each page of the bid should be signed & stamped in original. Unsigned bids will not be considered for evaluation. Each point of Envelope—I must be enclosed with the technical bid.

4.2 Earnest Money Deposit Details

- I. Tender Document can be downloaded from http://www.ppdcagra.dcmsme.gov.in free of cost.
- II. EMD of Rs. 50,000/-(Rs Fifty thousand only) in the form of Demand Draft of a scheduled bank in the name of Microx Foundation, Gaya, Bihar. valid for 60 days from the date of opening of the tender. The firm registered with NSIC as manufacturer for the supply of the same category of item for which the party is submitting quotation will be exempted from submission of EMD. Intended parties will have to give proof of registration along with their quotation. EMD of the unsuccessful bidders shall be refunded without any interest at the earliest after finalization of the purchase of concerned item.
 - a) The EMD will be returned to the BIDDERs(s) whose offer is not accepted by **Microx Foundation**, within one month from the date of the placing of the final order(s) on the selected BIDDER(s). In case of the BIDDER(s) whose offer is accepted the EMD will be returned on Machinery Installation. However, if the return of EMD is delayed for any reason, no interest / penalty shall be payable to the BIDDERs.
 - b) The successful BIDDER, on award of contract / order, must send the contract / order acceptance in writing, within 15 days of award of contract / order failing which the EMD will be forfeited.
- III. The firm(s) who are registered under Micro and Small Enterprises (MSEs) as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium Enterprises (MSME) or are registered with the Central Purchase Organization or the concerned Ministry or Department. EMD will be liable to be forfeited if bidder withdraws or amends impairs or derogates from the tender in any respect within the validity periods of his tender. Self-attested scan copy of the valid registration certificate must be uploaded with the technical bid.
- IV. The rate quoted in the Tender should be valid for the acceptance by the Tender Committee, for a minimum period of 90 days from the date of opening of the Tender. The accepted rate is valid till the entire contract is completed. Escalation in the rate will not

be entertained under any circumstances.

4.3 The technical offer should not contain any price information.

5. SPECIFICATIONS:

Specifications are basic essence of the product. It must be ensured that the offers must be strictly as per our specifications. The Bid, which is not as per our tender enquiry, will be treated as non-qualified. Institute has the sole discretion to accept or reject tenders based on technical specifications.

6. Envelope 2:

"Commercial Bid" shall contain:

- i. Cost of all the items should be mentioned clearly and individually in the Commercial Offer (Part-II)only.
- ii. The prices should be shown against each item for the purpose of Insurance claims / replacements if any.
- iii. List of deliverables / Bill of materials and services.

Note:

- (i) No request for extension of due date will be considered under any circumstances.
- (ii) No sub-contracting is allowed with regard to installation, commissioning, warranty maintenance and after sales service. This is the sole responsibility of the Principals'/their authorized agents.
- (iii) Please do not insert 'Commercial Bid" (prices quoted) in the technical bid envelope. If the price quoted is submitted with technical bid the tender will be rejected.

7. TERMS OF THE TECHNICAL COMMITTEE

On the due date the Technical bids will be opened and referred to the Technical Committee which is duly constituted by the Board of Directors, Microx Foundation, Gaya, Bihar.The committee will go through the technical aspects of the tender and recommend short listed firms. The recommendation of the technical committee is the final and binding on all the parties.

The technical evaluation will be an assessment of the Technical Bid.

The technical committee may formulate evaluation criteria in addition to the specifications and requirements indicated in the tender, in the interest of Microx Foundation, Gaya, Bihar, and this criteria/recommendation will also form as a part of short-listing of the firms.

The information received and the bids already submitted together will be examined with reference to the tendered specifications and evaluation is made by the Technical Committee.

8. OPENING AND EVALUATION OF THETENDER

- (i) The tenders received up 01/03/2021 By 10:00 AM will be taken up for opening. Tenders received after specified date and time will not be accepted. The Tender will be opened through video conferencing (for which link will be shared with tenderers) by the Tender committee on 14/03/2021 By 12:00 PM in the presence of the available Tenderers/representatives of the Tenderers who choose to be present. The Tenderers or their authorized agents are allowed to be present online at the time of opening of thetenders.
- (ii) Tender committee will inform the attested and unattested corrections, before the Tenderers and sign all such corrections in the online presence of the Tenderers. If any of the Tenderers or agents is not present then, in such cases the Committee will open the tender of the absentee Tenderer and take out the unattested corrections and communicate it to them. The absentee Tenderer should accept the corrections without any question what so ever.
- (iii) The Technical bid will be evaluated by Tender Committee in terms of the qualification Criteria. Tender Committee reserves the right to disqualify any of the tender if is not satisfied with the documents furnished.
- (iv) The Tenderers declared as qualified will be informed on the date of opening of Part-II (Price Bid).

9. PRICE OFFCER

- **9.1** The Price Bid should be kept only in the Part-II cover
- **9.2** The Price Bid should be prepared as per Annexure II
- **9.3** The Price Bid should be neatly and legibly written both in figures and words
- **9.4** In case of discrepancy between the prices quoted in words and figures lower of the two shall be considered.
- **9.5** Part-II bid should not contain any commercial conditions. Variation in the commercial terms and conditions of the tender will not be accepted.

10. EVALUATION OF THE PRICE

- 13.1 The Tender committee will examine for complete, properly signed and error- free nature of the Price Bid (Part-II).
- 13.2 The comparison of the rates offered shall be on the basis of the total rates offered inclusive of all taxes, transportation, performance guarantee etc.,

11. AWARD OF CONTRACT

The Tenderer who has quoted lowest price (L1) will be invited for negotiations. After finalizing the negotiated rate, Letter of Acceptance will be issued.

12.AGREEMENT

The successful tenderer should execute an agreement as may be drawn up to suit the conditions on a non-judicial stamp paper of value, as prescribed in law on the date of remittance of Security Deposit and shall pay for all stamps and legal expenses incidental thereto. In the event of failure to execute the agreement, within the time prescribed, the EMD amount remitted by the tenderer will be forfeited besides cancelling the Tender.

13. ISSUE OF PURCHASE ORDER

After successful execution of the agreement, Purchase Order will be release to the tendered items within 10 days by the Implementing Agency (IA). The successful tenderer should complete supply, erection and commissioning of the machineries as stipulated in the Schedule of Supply Chapter of this tender document.

14. DELIVERY

The delivery of the Mushroom and Baby Corn processing and Value addition Cluster SFURTI, Cluster Machineries/items ordered shall be completed within the time limit prescribed in the purchase order to enable completion of erection and commissioning within 60 days from the date of issue of purchase order. This aspect will be taken up for discussion during the evaluation of the technical bid.

15. PAYMENT CONDITION

- 15.1 45% of Contract value will be paid on execution of agreement.
- 15.2 40% of the Contract value will be paid on receipt of the complete set of machinery as per the order in full in good condition, at the destination, after acceptance by the tender committee.
- 15.3 10% of the Contract Value will be paid on successful completion of performance test.
- 15.4 The balance 5% and EMD will be released only after satisfactory completion of the entire contract

16. PENALTY

16.1 Failure to execute the entire contract within 90 days from the date of issue of Purchase Order/ (&/with) advance payment, as the case may be, will attract a penalty of 1% per week, on the full value

of the contract up to a maximum 5%. Delays beyond that period will result in cancellation of the orders.

17. TERMINATION OF THE CONTRACT

Microx Foundation, Gaya, Bihar. reserves the right to terminate the contract at any time during the validity period on account of no-fulfilment of contract, on any count.

18. GENERAL CONDITION

- **18.1** Conditional Tender in any form will not be accepted
- **18.2** Any notice regarding any problems, to the supplier shall deemed to be sufficiently served, if given in writing at his usual or last known place of business
- **18.3** The Tender Committee reserves the right to reject any or all the tenders without assigning any reason thereof.
- **18.4** All the items of supply tendered shall be new and in any circumstances old, refurbished or second-hand machines/equipment/components will not be accepted.
- **18.5** The Tender Committee reserves the right to reduce or enhance quantity of items of supply without assigning any reason thereof.
- **18.6** The Tender Committee reserves the right to cancel the entire supply or part of supply, if the supply made is found to be not in terms of the tender conditions, at any stage of contract execution. In case of part cancellation or return of machine/components, the transport and other incidental expenses shall be borne by the supplier.
- **18.7** The Tender Committee reserves the right to relax or waive or amend any of the tender conditions.

19. ARBITRATION

- **19.1** In case of any dispute in the tender, including interpretation, if any on the clauses of the tender or the agreement to be executed, the matter shall be referred Microx Foundation /Tenderer to an Arbitrator to be appointed by the Parties hereto by mutual agreement. If no such Arbitrator could be appointed by mutual consent, the matter may then be referred to the PD, PPDC Agra for nominating an Arbitrator, the Arbitration proceedings being governed by the Arbitration and Conciliation (Amendment) Act 2015.
- **19.2** The venue of the Arbitration shall be at the Regional Office, PPDC Agra. The decision of the Arbitrator shall be final and binding on both the parties to the Arbitration.
- **19.3** The Arbitrator may with the mutual consent of the parties, extend the time for making the award. The award to be passed by the Arbitrator is enforceable in the court at Agra only.

Any dispute arising out of non-fulfilment of any of the terms and conditions of this Tender/Agreement
or any other dispute arising out of the arbitration award will be subject to the jurisdiction of the Courts
in Agra only.

We agree to the above terms and condition	ons.
SIGNATURE OF THE TENDERER	
DATE:	
NAME IN BLOCK LETTERS:	
DESIGNATION:	
ADDRESS:	

Annexure 1

List of Machinery with Specifications

Sr.	Item Details	QTY.
No.	CCHACHED CAD 2000 MCC/HD CHTC 000 M 111 MTM LONG DOMED 40 HD	4
1	S.S WASHER : CAP 2000 KGS./HR., SIZE – 800 M width X 5 M LONG, POWER – 4.0 H.P., Suitable for washing OF leafy & root vegetables, & removing of foreign particles from the product.	1
	The equipment consists of :-	
	A) S.S. balance tank with S.S. centrifugal pump & turbine blower.	
	B) S.S. flume suitable for washing of product & removal of stone & other solid particles.	
	C) Aarrangement for washing of product by fresh water& removing foreign material. D) Fixed speed drive with geared motor.	
2	S.S Double Jacketted Kettles: Cap 50 GALLON., The kettles are double jacketed with	6
_	2/3rd jacketed to give efficient heat transfer Complete with steam trap,safety	
	valve,stirrer,pressure gauge etc;	
3	STRAIGHT LINE EXHAUST: Size- 300 mm.width x 5.5 mtr., Complete with steam	2
	arrangement, variable speed drive & top cover	
4	S.S TABLES: 8 FT.X 4 FT	2
5	Canning RETORT (HORIZONTAL): SIZE – 1100 MM.DIA.X 3MTR., Complete with	1
	pressure switch, temperature controller, steam trap, water spray arrangement &other	
	accessories	
6	SEAMER FOR CAN SEALING: Complete with motor, electrical safety guard, Tool Kit, thuck and rollers.	1
7	DICING MACHINE POWER – 2 H.P, CAP 400KG./HR, Suitable for dicing of vegitables in 5	1
,	x 5 mm & 10 x 10 mm	
8	SLICER: Power – 5 H.p, Complete with rotary blade assembly and conveyor to carry the	1
	product.	
9	VACCUM PACKAGING MACHINE: SIZE- 500MM X500 MM, POWER – 5 H.P	1
10	CLEAN FILM DISPENSOR	1
b) Equipments for Mushroom Processing		
11	Mushroom Blancher: CAP 2000 KGS./HR., SIZE – 800mm DIA X 4.5m LENGTH (screw	1
	size), POWER – 3 H.P	
	Suitable for blanching of product. The equipment consists of :-	
	A) S.S. outer shell with hinged side covers.	
	B) S.S. Perforated screw assembly mounted on shaft at both sides.	
	C) S.S. feed & discharge chute.	
	D) VFD drive with geared motor.	
12	Mushroom Cooler: CAP 2000 KGS./HR., SIZE – 800 mm DIA. X 3.0m LENGTH, POWER –	1
	3 H.P, Suitable for cooling of product up to 15 c provided feeded by water of temp. 7c. The	
	equipment consists of :-	
	A) SS rotary drum mounted on SS frame.	
	B) S.S. centrifugal pump one nos. with two nos. S.S. balance tanks with filters.	
	C) S.S. pipe line upto tanks.	

13	Mushroom Grader 3+1: SIZE – 1.6 mtr. WIDTH - 800mm Dia. x 4m LENGTH, POWER – 2 H.P, PERFORATIONS DIAMETER – 24mm.,20 mm.,& 15 mm. Suitable for grading of mushroom in four different sizes. The equipment consists of :- A) Three no. perforated sheets rolled and placed one behind the other with discharge hoopers arranged so as to get the different sizes at different places. B) The sheet with 15 mm perforation will be at 1st & then 20 mm. & in last 24 mm. C) Equipment will be rotary type. D) All frame work & supportings will be in s.s E) Fixed speed drive with Geared motor.	1
14	SS Trolley: Size – 1.2 m x 0.6 mx 0.3m, M.O.C 2mm thik SS 304, Complete with 4 no. PU Wheels with handle at the top of trolley for easily moment.	4
15	Mushroom Inspection Belt: CAP 2000 KGS./HR., SIZE – 800 mm. WIDTH X 5 mtr. LENGTH, POWER 1.0 H.P Suitable for manual inspection of product. The equipment consists of :- A) PVC coated food grade endless belt (imported). B) Side guides, rollers, framework will be from S.S. C) Fixed speed drive with geared motor with S.S. plate & motor cover.	1
16	Wood & Bio-mass fired Steam Generation Boiler with all accessories. Capacity: 2 ton/	1
17	Cooling Tub: Complete with 4 no. PU wheels, two with brakes and two without brakes. Size - 8 FT.X 2 FT X 1 FT	8
18	Reverse Osmosis Plant: Capacity: 3 ton / hr	1
19	Water Chilling machine: Capacity: 1 MT/hr.	1
20	Batch Coding Machine: For printing 4 lines batch code.	1
21	Brine Filling System: Complete with pump, Tool Kit ,Rollers, balance tank, temperature controller, steam trap & all other accessories.	1
22	ELECTRICAL PANEL, CABLING ,PIPELINING FOR ABOVE SYSTEM WITH ERECTION & COMMISIONING	1
23	ETP 30 KLD	1
24	Compost Manufacturing unit cap. 10 TPD	1
25	Lab Equipment (Boiling Vessel, Autoclave, Laminar Flow cabinet, BOD Incubator, pH meter, Refrigerator, Balance, Miscellanneous for Spawn preparation.)	1
26	Computerised Weigh Bridge 25 MT Cap.	1

Annexure II

FORMAT FOR MANUFACTURER'S AUTHORISATION LETTER TO AGENT

(on letter head)

]	Ref.No.	Date:
,	То,	
]	Board of Directors,	
N	Microx Foundation,	
(Gaya, Bihar	
Su	ub.: Authorization Letter.	
De	Dear Sir,	
7	We,, who are esta	ablished and reputed manufacturers/Suppliers
(of, having factory a	at, hereby authorize
1	M/s(nam	e & address of Indian distributor /agent) to bid,
		the above goods manufactured by us. We shall
1	remain responsible for the tender / contract / agree	•
_		y. We ensure that we would also support /
		on regular basis with technology / product
		/ servicing of the supplied goods manufactured
		s of the Indian agent / distributor are changed or
		ory on us to automatically transfer all the duties
		g which we will ipso-facto become liable for all
ä	acts of commission or omission on the part of ne	w Indian Agent /distributor.
,	Yours faithfully,	
ſ	[Name & Signature]	
_	for and on behalfofM/s	[Name of manufacturer]
	ioi and on ochanomi, b.	

Note: This letter of authorization should be on the letterhead of the manufacturing concern and should be signed by a person competent and having the power of attorney to bind the manufacturer. A copy of notarized power of attorney should also be furnished. Only manufacturer(s) or their sole authorized distributor / agent are eligible to bid. Authorization letter in the prescribed format (Annexure – II) from Original Equipment Manufacturer (OEM) in favour of authorized Agent to bid / negotiate / conclude the order against this tender, must be enclosed with technical bid.

DECLARATION SHEET

We,	hereby certify that all the information and	
data furnished by our organization with regard to this tender specification are true and complete		
to the best of our knowledge. I have gone through the specification, conditions and stipulations		
indetails and agree to comply with the requirements and intent of specification. This is certified		
that our organization has been authorized (Copy attached) by the OEM to participate in Tender.		
We further certified that our organization meets	all the conditions of eligibility criteria laid down	
in this tender document. Moreover, OEM has agr	reed to support on regular basis with technology	
/ product updates and extend support for the war	ranty. The prices quoted in the financial bids are	
subsidized due to academic discount given to Mi	crox Foundation, Gaya, Bihar.	
Phone		
Fax		
E-mail		
Contact Person Name		
Mobile Number		
GST Number		
Kindly provide bank details of the bidder in the		
following format:		
a) Name of theBank		
b) AccountNumber		
c) Kindly attach scanned copy of one Cheque		
book page to enable us to return the EMD to		
unsuccessful bidder		

Seal of the Company

Name:

(Signature of the Tenderer)

List of Organization/Deptt.

List of Organizations/Deptt. for whom the Bidder has undertaken such work during last three years (must be supported with work orders)		
Name of the organization	Name of Contact Person	Contact No.

Signature of	f Bidder
--------------	----------

Name:	
Designation:	
Organization Name:_	
Contact No.:	

Certificate of Guarantee/Warranty (on letter head)

I / We certify that the guarantee / warranty shall be given for a period of Two (02) years starting from the date of the satisfactory installation, commissioning and handing over of the equipment and the work completed under the contract. During the guarantee / warranty period, I / we shall provide the "after sale service" and the replacement of defective / or any part(s) of the equipment or rectification of defects of work of the equipment will be free of cost. The replacement of the parts shall be arranged by us, at our own cost and responsibility. We undertake that the above guarantee / warranty shall begin only from the date of successful installation. The benefit of change in dates of the guarantee / warranty period shall be in the interest of the user / your organization.

I / We shall try to repair the equipment at Institute premises. However, in case it is not possible to repair the equipment at Institute premises, we will take out the equipment to our site on our own expenses. We shall take the entire responsibility for the safe custody and transportation of the equipment taken out for repairs till the equipment is rehabilitated to the Institute after repair. If any loss of equipment occurred during our custody, we will restore it / compensate to Institute for such losses.

I / We guarantee that in case we fail to carry out the maintenance work within the stipulated period, the Institute reserves the right to get the maintenance work carried out at our risk, cost and responsibility after informing us. All the expenses including excess payment for repairs / maintenance shall be adjusted against the Performance Bank Guarantee. In case the expenses exceed the amount of the Performance Bank Guarantee, the same shall be recoverable from us with / without interest in accordance with the circumstances.

I / We undertake to perform calibration after every major repair / breakdown / taking the equipment out for repair from the Institute premises. I / We guarantee that we will supply spare parts, if and when required on agreed basis for an agreed price. The agreed basis could be an agreed discount on the published catalogue price.

I / We guarantee to the effect that before going out of production of the spare parts, we will give the adequate advance notice to Institute so that Institute may undertake to procure the balance of the life time requirements of the spare parts.

Annexure VI

Date:

MANDATE FORM FOR ELECTRONIC FUND TRANSFER/RTGS TRANSFER

То,																	
Microx Foundation,																	
Gaya, Bihar																	
<i>y</i> ,																	
Sub: Authorization for r	elea	se o	f pay	ymer	nt / d	ues f	rom	Micı	rox l	Foun	datio	on, G	aya, i	Biha	r, thi	ough	l
electronic Fund Transfer	r/RT	'GS	Trai	nsfer													
1. Name of the Party/Fir	rm/C	omp	any/	Insti	tute:												
2. Address of the Party:																	
City				_Pin(Code							_					
E-MailID	E-MailIDMob No:																
PermanentAccountNum	ber_																
3.Particulars ofBank:																	
Bank Name:							Br	anch	Nan	ne:							
Branch Place:							Br	anch	City	:							
PIN Code:	IN Code:			Br	Branch Code:												
MICR No.:																	
(9 Digit number appeari	ng o	n the	e MI	CR E	Bank	of the	e Che	que s	supp	lied t	y the	Ban	k, Ple	ase a	ttach	a Xe	rox
copy of a cheque of you																	
IFS Code																	
Account Type	Sav	ving					Cur	rent					Cas	h Cro	edit		
Account Number																	
								•		•							
					DE	CLA	RAT	CION	J								
I hereby declare that the	e par	ticul	lars g	given	abo	ve ar	e cori	ect a	nd c	ompl	ete. I	f any	trans	actio	n del	ayed	and
not effected for reasons	of	inco	mple	te or	inco	rrect	info	rmati	on I	shal	l not	hold	The	Boar	d of	Direc	tors
Microx Foundation, C	Gaya	, Bi	har	respo	nsib	le. I a	also t	ınder	take	to a	dvise	any o	chang	e in	the p	articu	lars
of my account to																	
NEFT/RTGSTransfer.			•						•	•							
Place:																	
Date:																	
					Si	gnati	ıre 8	z Sea	l of t	the A	utho	rized	Sign	ator	y of t	the Pa	arty
																_	
~																	
Certified that particulars	stur	nıshe	ed ab	ove a	are co	orrec	as p	er ou	r rec	ords							
Dankana Ctamm																	
Bankers Stamp:																	
Date:																	

Signature of the Authorized Official from the Bank

N.B: Please fill in the information in CAPITAL LETTERS, computer typed; please TICK wherever it is applicable.

Annexure VII Price Bid

Sr.	Item Details	QTY.		
No.			Rate	Amount
1	S.S WASHER: CAP 2000 KGS./HR., SIZE – 800 M width X 5 M LONG,	1		
	POWER – 4.0 H.P., Suitable for washing OF leafy & root vegetables, &			
	removing of foreign particles from the product.			
	The equipment consists of :-			
	A) S.S. balance tank with S.S. centrifugal pump & turbine blower.			
	B) S.S. flume suitable for washing of product & removal of stone & other			
	solid particles. C) Aarrangement for washing of product by fresh water& removing			
	foreign material.			
	D) Fixed speed drive with geared motor.			
2	S.S Double Jacketted Kettles: Cap 50 GALLON., The kettles are double	6		
	jacketed with 2/3rd jacketed to give efficient heat transfer Complete with			
	steam trap,safety valve,stirrer,pressure gauge etc;			
3	STRAIGHT LINE EXHAUST: Size- 300 mm.width x 5.5 mtr., Complete with	2		
	steam arrangement, variable speed drive & top cover			
4	S.S TABLES: 8 FT.X 4 FT	2		
5	Canning RETORT (HORIZONTAL): SIZE – 1100 MM.DIA.X 3MTR.,	1		
	Complete with pressure switch, temperature controller, steam trap, water			
	spray arrangement &other accessories	4		
6	SEAMER FOR CAN SEALING: Complete with motor, electrical safety guard	1		
7	, Tool Kit, thuck and rollers.	1		
7	DICING MACHINE POWER – 2 H.P, CAP 400KG./HR, Suitable for dicing of vegitables in 5 x 5 mm & 10 x 10 mm	1		
8	SLICER: Power – 5 H.p, Complete with rotary blade assembly and	1		
	conveyor to carry the product.	1		
9	VACCUM PACKAGING MACHINE: SIZE- 500MM X500 MM, POWER – 5 H.P	1		
10	CLEAN FILM DISPENSOR	1		
	b) Equipments for Mushroom Processing	•		
11	Mushroom Blancher: CAP 2000 KGS./HR., SIZE – 800mm DIA X 4.5m	1		
	LENGTH (screw size), POWER – 3 H.P			
	Suitable for blanching of product. The equipment consists of :-			
	A) S.S. outer shell with hinged side covers.			
	B) S.S. Perforated screw assembly mounted on shaft at both sides.			
	C) S.S. feed & discharge chute.D) VFD drive with geared motor.			
12	Mushroom Cooler: CAP 2000 KGS./HR., SIZE – 800 mm DIA. X 3.0m	1		
14	LENGTH, POWER – 3 H.P., Suitable for cooling of product up to 15 c			
	provided feeded by water of temp. 7c. The equipment consists of :-			
	A) SS rotary drum mounted on SS frame.			
	B) S.S. centrifugal pump one nos. with two nos. S.S. balance tanks with			
	filters.			
	C) S.S. pipe line upto tanks.]		

13	Mushroom Grader 3+1: SIZE – 1.6 mtr. WIDTH - 800mm Dia. x 4m LENGTH, POWER – 2 H.P, PERFORATIONS DIAMETER – 24mm.,20 mm.,& 15 mm. Suitable for grading of mushroom in four different sizes. The equipment consists of :- A) Three no. perforated sheets rolled and placed one behind the other with discharge hoopers arranged so as to get the different sizes at different places. B) The sheet with 15 mm perforation will be at 1st & then 20 mm. & in last 24 mm. C) Equipment will be rotary type. D) All frame work & supportings will be in s.s E) Fixed speed drive with Geared motor.	1	
14	SS Trolley: Size – 1.2 m x 0.6 mx 0.3m, M.O.C 2mm thik SS 304, Complete with 4 no. PU Wheels with handle at the top of trolley for easily moment.	4	
15	Mushroom Inspection Belt: CAP 2000 KGS./HR., SIZE – 800 mm. WIDTH X 5 mtr. LENGTH, POWER 1.0 H.P Suitable for manual inspection of product. The equipment consists of :- A) PVC coated food grade endless belt (imported). B) Side guides, rollers, framework will be from S.S. C) Fixed speed drive with geared motor with S.S. plate & motor cover.	1	
16	Wood & Bio-mass fired Steam Generation Boiler with all accessories. Capacity: 2 ton/ hr	1	
17	Cooling Tub: Complete with 4 no. PU wheels, two with brakes and two without brakes. Size - 8 FT.X 2 FT X 1 FT	8	
18	Reverse Osmosis Plant: Capacity: 3 ton / hr	1	
19	Water Chilling machine: Capacity: 1 MT/hr.	1	
20	Batch Coding Machine: For printing 4 lines batch code.	1	
21	Brine Filling System: Complete with pump, Tool Kit ,Rollers, balance tank, temperature controller, steam trap & all other accessories.	1	
22	ELECTRICAL PANEL, CABLING ,PIPELINING FOR ABOVE SYSTEM WITH ERECTION & COMMISIONING	1	
23	ETP 30 KLD	1	
24	Compost Manufacturing unit cap. 10 TPD	1	
25	Lab Equipment (Boiling Vessel,Autoclave,Laminar Flow cabinet,BOD Incubator,pH meter,Refrigerator,Balance, Miscellanneous for Spawn preparation.)	1	
26	Computerised Weigh Bridge 25 MT Cap.	1	